



Diamond



Carbide



Polishing



Sets























Dentist



Dumont

INSTRUMENTS & CO
Quality since 1978

Icons

- | | |
|--|---|
|  Cavity preparation |  Angle |
|  Crown preparation |  Rounded edges |
|  Removal of old fillings |  Non cutting tip |
|  Working on fillings |  End cutting only |
|  Root canal preparation |  Further information available |
|  Oral surgery |  Non cutting tip |
|  Crown and bridge technique |  Crown removal |
|  Milling technique |  Orthodontics |
|  Model casting technique |  Diamond interspersed |
|  Adjusting occlusal surfaces |  Prophylaxis |
|  Rounded tip |  Implantology |

READING KEYS

Diamond coated burs

1. Grit
2. Shape
3. Head \varnothing
4. Shank

Example of an order

3 846 - 018 - 3

1 2 3 4

Grit

● 80 μ (ISO 524)	MEDIUM	
● 110 μ (ISO 534)	COARSE	3
● 165 μ (ISO 544)	VERY COARSE	5

Grit

● 60 μ (ISO 514)	FINE	8
● 20 μ (ISO 504)	VERY FINE	4
● 10 μ (ISO 494)	ULTRA FINE	UF

HP SHANK Code 1 = \varnothing 2,35 MM



RA SHANK Code 2 = \varnothing 2,35 MM



FG SHANK Code 3 = \varnothing 1,60 MM



Carbide instruments

1. Shape
2. Head \varnothing
3. Shank

Example of an order

C1 - 008 - 1

1 2 3

HP SHANK Code 1 = \varnothing 2,35 MM



RA SHANK Code 2 = \varnothing 2,35 MM



FG SHANK Code 3 = \varnothing 1,60 MM



Polishing instruments

HP SHANK Code 1 = \varnothing 2,35 MM



RA SHANK Code 2 = \varnothing 2,35 MM



FG SHANK Code 3 = \varnothing 1,60 MM



Diamond instruments



Diamond coated burs


DIAMOND



368

Bud pointed

806 314 257



Shank		L mm							
		3,5	3,5	3,5	4,5	4,5	5,0		
		Order N°							Shank
FG ●	524 ...	368-	010		016	018	021	023	-3
FG ●	544 ...	5368-		012		018	021	023	-3
FG ●	534 ...	3368-	010	012	016	018	021	023	-3
FG ●	514 ...	8368-	010		016	018	021	023	-3
FG ●	504 ...	4368-			016	018	021	023	-3
FG ●	494 ...	368UF-						023	-3



370

Occlusal reduction

806 314 507




Shank		L mm		
		5,7		
		Order N°		Shank
FG ●	534 ...	3370-	023	-3



379

Egg/Football

806 314 263



Shank		L mm							
		3,0	3,0	3,5	3,5	4,0	4,5		
		Order N°						Shank	
FG ●	524 ...	379-	012	014	016	018		023	-3
FG ●	544 ...	5379-		014	016	018	021	023	-3
FG ●	534 ...	3379-	012	014	016	018		023	-3
FG ●	514 ...	8379-	012	014	016	018	021	023	-3
FG ●	504 ...	4379-	012	014	016	018	021	023	-3

Match C44E series



390

Grenade

806 314 274



Shank

L mm 3,5



Order N° Shank

FG ●	524 ...	390-	016	-3
FG ●	514 ...	8390-	016	-3
FG ●	504 ...	4390-	016	-3



393

Interproximal

806 314 465



Shank

L mm 5,0

Order N° Shank


FG ●	524 ...	393-	016	-3
FG ●	534 ...	3393-	016	-3
FG ●	514 ...	8393-	016	-3



801

Round

806 314 001



Shank



Order N° Shank

FG ●	524 ...	801-	006	008	009	010	012	014	016	018	021	023	025	027	029	033	035	-3
FG ●	544 ...	5801-		008	009	010	012	014	016	018	021	023				033	035	-3
FG ●	534 ...	3801-		008	009	010	012	014	016	018	021	023	025		029	033		-3
FG ●	514 ...	8801-		008		010	012	014	016	018	021	023	025		029	033		-3
FG ●	504 ...	4801-		008	009	010	012	014	016	018	021	023			029			-3

806 204 001


RA ●	524 ...	801-		008	009	010	012		016	018		023		027				-2
RA ●	534 ...	3801-					012	014										-2



801L

Long Round

806 314 697



Shank




		Order N°					Shank
FG ●	524 ...	801L-	012	014	016	-3	
FG ●	534 ...	3801L-	012	014	016	-3	
FG ●	514 ...	8801L-			016	-3	



802

Round with collar

806 314 002



Shank



		Order N°									Shank
FG ●	524 ...	802-	008	010	012	014	016	018	021	023	-3
FG ●	544 ...	5802-			012	014	016	018	021	023	-3
FG ●	534 ...	3802-		010	012	014	016	018	021	023	-3
FG ●	514 ...	8802-		010	012	014	016	018	021	023	-3
FG ●	504 ...	4802-	008	010	012	014	016	018	021		-3



802L

Long Round with collar

806 314 494



Shank




		Order N°			Shank
FG ●	524 ...	802L-	16	-3	
FG ●	534 ...	3802L-	16	-3	
FG ●	514 ...	8802L-	16	-3	



803

Round with long collar

806 314 003



Shank




		Order N°							Shank
FG ●	524 ...	803-	014	016	018	021	023	-3	
FG ●	544 ...	5803-		016	018	021	023	-3	
FG ●	534 ...	3803-	014	016	018	021		-3	
FG ●	514 ...	8803-		016	018	021		-3	
FG ●	504 ...	4803-		016		021		-3	



805

Inverted cone

806 314 010



Shank

L mm 1,0 1,0 1,2 1,4 1,4 1,5 1,9



Order N° Shank

FG ●	524 ...	805-	008	010	012	014	016	018		-3
FG ●	544 ...	5805-		010	012	014	016	018	021	-3
FG ●	534 ...	3805-	008	010	012	014	016	018	021	-3
FG ●	514 ...	8805-	008	010	012	014	016	018		-3
FG ●	504 ...	4805-	008	010	012	014	016			-3


806 204 010

RA ●	524...	805-	008	010	012	014	016	018	021	-2
------	--------	------	-----	-----	-----	-----	-----	-----	-----	----

806

Diabolo

806 314 019



Shank

L mm 2,5 2,5 2,5 2,5 2,5 2,5




Order N° Shank

FG ●	524 ...	806-	008	010	012	014	016	018		-3
FG ●	544 ...	5806-			012	014	016	018		-3
FG ●	534 ...	3806-	008	010	012	014	016	018		-3
FG ●	514 ...	8806-		010	012	014	016	018		-3
FG ●	504 ...	4806-		010	012	014	016			-3

807

Long inverted cone

806 314 225



Shank

L mm 3,0 3,5 3,5 4,0 5,0 5,0 6,0



Order N° Shank

FG ●	524 ...	807-	010	012	014	016	018	021	023	-3
FG ●	544 ...	5807-				016			023	-3
FG ●	534 ...	3807-		012	014	016	018	021	023	-3
FG ●	514 ...	8807-					018		023	-3
FG ●	504 ...	4807-				016				-3





807L

Longer Inverted cone

806 314 226




Shank		L mm		
		7,0		
		Order N°		Shank
FG ●	524...	807L-	018	-3



811

Occlusal/palatal reduction

806 314 038




Shank		L mm				
		4,2	7,0	7,0		
		Order N°			Shank	
FG ●	524 ...	811-	033	037	047	-3
FG ●	544 ...	5811-	033	037	047	-3
FG ●	534 ...	3811-	033	037	047	-3



813

Diabolo

806 314 035




Shank		L mm						
		1,5	1,5	1,5	2,0	2,0		
		Order N°					Shank	
FG ●	524 ...	813-	010	012	014	016	018	-3
FG ●	544 ...	5813-		012	014	016	018	-3
FG ●	534 ...	3813-	010	012	014	016	018	-3
FG ●	514 ...	8813-	010	012	014	016	018	-3
FG ●	504 ...	4813-	010	012	014	016		-3



815

Wheel

806 314 040



Shank		L mm			
		0,7	0,8		
		Order N°		Shank	
FG ●	524 ...	815-	016	025	-3
FG ●	544 ...	5815-		025	-3
FG ●	534 ...	3815-	016	025	-3

818

Wheel

806 314 042



Shank

L mm 0,7




Order N° Shank

FG ●	524 ...	818-	035	-3
FG ●	544 ...	5818-	035	-3
FG ●	534 ...	3818-	035	-3

830

Pear

806 314 233



Shank

L mm 2,7 2,7 2,7 2,7 2,7 2,7 5,1




Order N° Shank

FG ●	524 ...	830-	009	010	012	014	016	018		-3
FG ●	544 ...	5830-			012	014	016	018	021	-3
FG ●	534 ...	3830-		010	012	014	016	018		-3
FG ●	514 ...	8830-		010	012	014	016	018		-3
FG ●	504 ...	4830-		010	012	014	016			-3

830L

Long pear

806 314 234



Shank

L mm 4,0 4,0 5,0 5,0 5,0 5,0



Order N° Shank

FG ●	524 ...	830L-	010	012	014	016	018		-3
FG ●	544 ...	5830L-			014	016	018		-3
FG ●	534 ...	3830L-		012	014	016	018	021	-3
FG ●	514 ...	8830L-		012	014	016	018		-3
FG ●	504 ...	4830L-		012	014				-3

833

Occlusal/Cavity margin trimming

806 314 466



Shank

L mm 3,6



Order N° Shank


FG ●	524 ...	833-	031	-3
FG ●	544 ...	5833-	031	-3
FG ●	534 ...	3833-	031	-3
FG ●	514 ...	8833-	031	-3



834

Depth marker, veneer technique

806 314 552




Shank		L mm	6,0	6,0	6,0
		T mm	0,3	0,4	0,5
		Order N°	Shank		
FG ●	524 ...	834-	016	018	021 -3



835

Cylinder flat end

806 314 107



Shank		L mm	3,0	4,0	4,0	4,0	4,0	4,0	4,0
		Order N°	Shank						
FG ●	524 ...	835-	008	010	012	014	016	018	-3
FG ●	544 ...	5835-		010	012	014	016	018	-3
FG ●	534 ...	3835-	008	010	012	014	016	018	-3
FG ●	514 ...	8835-		010	012	014			-3
FG ●	504 ...	4835-	008	010	012	014	016		-3

806 204 107


RA ●	524...	835-	008	010	012		016		-2
------	--------	------	-----	-----	-----	--	-----	--	----



835KR

Cylinder, rounded edge

806 314 156




Shank		L mm	4,0	4,0	4,0	4,0
		Order N°	Shank			
FG ●	524 ...	835KR-	010	012	014	-3
FG ●	534 ...	3835KR-	010	012	014	016 -3
FG ●	514 ...	8835KR-		012		-3

836

Short parallel shoulder

806 314 110



Shank

L mm	6,0	6,0	6,0	6,0	6,0	6,0
------	-----	-----	-----	-----	-----	-----



Order N°									Shank
----------	--	--	--	--	--	--	--	--	-------

FG●	524 ...	836-	010	012	014	016	018		-3
FG●	544 ...	5836-	010	012	014	016	018	021	-3
FG●	534 ...	3836-	010	012	014	016	018		-3
FG●	514 ...	8836-	010	012	014				-3
FG●	504 ...	4836-	010	012	014	016			-3


806 204 110

RA●	524...	836-		012					-2
-----	--------	------	--	-----	--	--	--	--	----

836KR

Short parallel shoulder, rounded edge

806 314 157



Shank

L mm	6,0	6,0	6,0	6,0
------	-----	-----	-----	-----




Order N°					Shank
----------	--	--	--	--	-------

FG●	524 ...	836KR-		012				-3
FG●	544 ...	5836KR-			014			-3
FG●	534 ...	3836KR-	010	012	014	016		-3
FG●	514 ...	8836KR-	010	012				-3

837

Parallel shoulder

806 314 111



Shank

L mm	8,0	8,0	8,0	8,0	8,0
------	-----	-----	-----	-----	-----



Order N°						Shank
----------	--	--	--	--	--	-------

FG	524 ...	837-	010	012	014			-3
FG●	544 ...	5837-		012	014	016	018	-3
FG●	534 ...	3837-	010	012	014	016		-3
FG●	514 ...	8837-		012	014			-3
FG●	504 ...	4837-	010	012	014			-3

806 204 111


RA●	524...	837-		012				-2
-----	--------	------	--	-----	--	--	--	----



837KR

Parallel shoulder,
rounded edge

806 314 158



Shank		L mm					
		8,0	8,0	8,0	8,0	Shank	
		Order N°				Shank	
FG ●	524 ...	837KR-		012	014		-3
FG ●	544 ...	5837KR-		012		016	-3
FG ●	534 ...	3837KR-	010	012	014	016	-3
FG ●	514 ...	8837KR-	010	012	014	016	-3


Match C244KR



837L

Long parallel shoulder

806 314 112




Shank		L mm					
		10,0	10,0	10,0	10,0	Shank	
		Order N°				Shank	
FG ●	524 ...	837L-		012			-3
FG ●	534 ...	3837L-	010	012	014	016	-3



838

Short cylinder rounded edge

806 314 137




Shank		L mm							
		3,0	4,0	4,0	4,0	4,0	4,0	4,0	Shank
		Order N°							Shank
FG ●	524 ...	838-		010	012	014	016	018	-3
FG ●	544 ...	5838-			012	014	016	018	-3
FG ●	534 ...	3838-	008	010	012	014	016	018	-3
FG ●	514 ...	8838-	008	010	012	014	016	018	-3
FG ●	504 ...	4838-	008	010	012	014	016		-3



839

Margin refinement

806 314 150




Shank		L mm			
		Order N°			Shank
FG ●	524 ...	839-	012	014	-3

For lowering the preparation limit after shoulder preparation with 837/837L or flat preparation floor inside cavity.

840

Margin refinement

806 314 722



Shank



L mm

Order N°

Shank


FG ●	524 ...	840-	012	014	016	-3
------	---------	------	-----	-----	-----	----

For lowering the preparation limit after shoulder preparation with 837KR or flat preparation floor inside cavity.

845

Flat end taper

806 314 168



Shank



L mm

3,0 4,0 4,0 4,0

Order N°

Shank

FG ●	524 ...	845-	008	010		014	-3
FG ●	534 ...	3845-	008	010		014	-3
FG ●	514 ...	8845-		010		014	-3


806 204 168

RA ●	524...	845-	008	010	012		-2
------	--------	------	-----	-----	-----	--	----

845KR

Flat end taper, rounded edge

806 314 544



Shank



L mm

4,0 4,0 4,0 4,0

Order N°

Shank

FG ●	524 ...	845KR-	016	018	021	025	-3
FG ●	534 ...	3845KR-	016	018		025	-3
FG ●	514 ...	8845KR-	016	018		025	-3
FG ●	504 ...	4845KR-	016	018		025	-3






846

Short tapered shoulder

806 314 171



Shank

L mm 6,0 6,0 6,0 6,0 6,0



Order N° Shank

FG●	524 ...	846-	012		016	018	021	-3
FG●	544 ...	5846-				018	021	-3
FG●	534 ...	3846-	012	014	016	018		-3
FG●	514 ...	8846-	012	014	016	018		-3
FG●	504 ...	4846-			016			-3

846KR

Short tapered shoulder, rounded edge

806 314 545



Shank

L mm 6,0




Order N° Shank

FG●	524 ...	846KR-	016	-3
FG●	514 ...	8846KR-	016	-3
FG●	504 ...	4846KR-	016	-3

847

Tapered shoulder

806 314 172



Shank

L mm 8,0 8,0 8,0 8,0 8,0




Order N° Shank

FG●	524 ...	847-	008	012	014	016	018	-3
FG●	544 ...	5847-			014	016	018	-3
FG●	534 ...	3847-		012	014	016		-3
FG●	514 ...	8847-	008	012	014	016		-3
FG●	504 ...	4847-		012	014			-3

847KR

Tapered shoulder, rounded edge

806 314 546



Shank

L mm 8,0 8,0 8,0 8,0



Order N° Shank


FG●	524 ...	847KR-	016		021	023	-3
FG●	534 ...	3847KR-	016	018			-3
FG●	514 ...	8847KR-	016	018		023	-3
FG●	504 ...	4847KR-	016				-3



848

Long tapered shoulder

806 314 173



Shank

L mm 10,0 10,0 10,0 10,0 10,0 10,0



Order N° Shank

FG ●	524 ...	848-	010	012	014	016	018	023	-3
FG ●	544 ...	5848-		012		016	018	023	-3
FG ●	534 ...	3848-	010	012	014	016	018	023	-3
FG ●	514 ...	8848-	010	012		016	018	023	-3
FG ●	504 ...	4848-	010		014	016			-3



848KR

Long tapered shoulder, rounded edge

806 314 553



Shank

L mm 10,0



Order N° Shank


FG ●	524 ...	848KR-	016	-3
FG ●	514 ...	8848KR-	016	-3



848L

Extra long tapered shoulder

806 314 174



Shank

L mm 11,5 11,5 11,5



Order N° Shank


FG ●	534 ...	3848L-	014	016	018	-3
------	---------	--------	-----	-----	-----	----



849

Tapered round

806 314 194



Shank

L mm 4,0 4,0 4,0 4,0



Order N° Shank


FG ●	524 ...	849-	010	014	016	018	-3
FG ●	544 ...	5849-			016	018	-3
FG ●	534 ...	3849-		014	016	018	-3
FG ●	514 ...	8849-		014	016	018	-3
FG ●	504 ...	4849-		014	016		-3



850

Tapered round, long

806 314 199



Shank

L mm 5,0 5,0 5,0 5,0 5,0



Order N° Shank


FG ●	524 ...	850-	012	014	016	018	031	-3
FG ●	544 ...	5850-		014	016	018	031	-3
FG ●	534 ...	3850-		014	016	018	031	-3
FG ●	514 ...	8850-	012	014	016	018		-3
FG ●	504 ...	4850-		014	016			-3



851

Safe end, round end tapered

806 314 219



Shank

L mm 8,0 8,0



Order N° Shank


FG ●	524 ...	851-	010	012	-3
------	---------	------	-----	-----	----



852

Short pointed

806 314 164



Shank

L mm 6,0 6,0 6,0 6,0 6,0 6,0 6,0 6,0 6,0



Order N° Shank

FG ●	524 ...	852-	008	010	012	014	016		023		045	-3
FG ●	544 ...	5852-		010	012	014	016	018	023		045	-3
FG ●	534 ...	3852-	008	010	012	014	016		023		045	-3
FG ●	514 ...	8852-	008	010	012	014	016		023		045	-3
FG ●	504 ...	4852-	008	010	012	014						-3
FG ●	494 ...	852UF-			012	014						-3

806 204 164


RA ●	524 ...	852-								037		-2
------	---------	------	--	--	--	--	--	--	--	-----	--	----

Match C333

855

Short tapered chamfer, round

806 314 197



Shank

L mm	6,0	6,0	6,0	6,0	6,0	7,0
------	-----	-----	-----	-----	-----	-----




Order N°	Shank								
----------	-------	--	--	--	--	--	--	--	--

FG ●	524 ...	855-	010	012	014	016		025	-3
FG ●	544 ...	5855-			014		018		-3
FG ●	534 ...	3855-		012	014				-3
FG ●	514 ...	8855-		012					-3
FG ●	504 ...	4855-		012					-3

856

Tapered chamfer, round

806 314 198



Shank

L mm	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0
------	-----	-----	-----	-----	-----	-----	-----	-----



Order N°	Shank										
----------	-------	--	--	--	--	--	--	--	--	--	--


FG ●	524 ...	856-	010	012	014	016	018	021	023	033	-3
FG ●	544 ...	5856-		012	014	016	018	021	023	033	-3
FG ●	534 ...	3856-	010	012	014	016	018	021	023	033	-3
FG ●	514 ...	8856-	010	012	014	016	018	021	023	033	-3
FG ●	504 ...	4856-	010	012	014	016		021			-3

Match C375LR series

856L

Long tapered chamfer, round

806 314 199



Shank

L mm	9,0	9,0	9,0
------	-----	-----	-----



Order N°	Shank			
----------	-------	--	--	--


FG ●	524 ...	856L-	014	016		-3
FG ●	544 ...	5856L-	014	016	018	-3
FG ●	534 ...	3856L-	014	016	018	-3
FG ●	514 ...	8856L-	014	016	018	-3
FG ●	504 ...	4856L-	014			-3



857

Safe end, round end tapered

806 314 220




Shank		L mm 10,0 10,0 10,0					
		Order N°				Shank	
FG ●	524 ...	857-	014	016	018		-3
FG ●	544 ...	5857-		016	018		-3
FG ●	534 ...	3857-	014	016	018		-3
FG ●	514 ...	8857-	014	016	018		-3



858

Pointed

806 314 165




Shank		L mm 8,0 8,0 8,0					
		Order N°				Shank	
FG ●	524 ...	858-	010	012	014		-3
FG ●	544 ...	5858-		012	014		-3
FG ●	534 ...	3858-	010	012	014		-3
FG ●	514 ...	8858-	010	012	014		-3
FG ●	504 ...	4858-		012	014		-3



859

Needle

806 314 166



Shank		L mm 10,0 10,0 10,0 10,0 10,0 10,0								
		Order N°							Shank	
FG ●	524 ...	859-	010	012	014	016	018			-3
FG ●	544 ...	5859-		012	014	016	018	021		-3
FG ●	534 ...	3859-	010	012	014	016	018			-3
FG ●	514 ...	8859-	010	012	014	016				-3
FG ●	504 ...	4859-	010	012	014	016				-3
FG ●	494 ...	859UF-			014	016				-3

Match C335

859L

Long needle

806 314 167



Shank

L mm	11,0
------	------




Order N°	Shank
----------	-------

FG ●	524 ...	859L-	014	-3
FG ●	534 ...	3859L-	014	-3
FG ●	514 ...	8859L-	014	-3

860

Short flame

806 314 245



Shank

L mm	4,0	5,0	5,0	5,0
------	-----	-----	-----	-----




Order N°	Shank
----------	-------

FG ●	524 ...	860-			014	016	-3
FG ●	544 ...	5860-				016	-3
FG ●	534 ...	3860-	010	012	014	016	-3
FG ●	514 ...	8860-	010	012	014	016	-3
FG ●	504 ...	4860-	010	012	014		-3
FG ●	494 ...	860UF-		012			-3

861

Flame

806 314 248



Shank

L mm	6,0	6,0
------	-----	-----



Order N°	Shank
----------	-------

FG ●	524 ...	861-	012		-3
FG ●	544 ...	5861-		014	-3
FG ●	534 ...	3861-	012	014	-3
FG ●	514 ...	8861-	012		-3






862

Flame

806 314 249



Shank

L mm	8,0	8,0	8,0	8,0	8,0
------	-----	-----	-----	-----	-----



		Order N°					Shank	
FG ●	524 ...	862-	010	012	014	016		-3
FG ●	544 ...	5862-		012	014	016	018	-3
FG ●	534 ...	3862-	010	012	014	016	018	-3
FG ●	514 ...	8862-	010	012	014	016		-3
FG ●	504 ...	4862-	010	012	014	016		-3


Match C48L



863

Long flame

806 314 250



Shank

L mm	10,0	10,0	10,0	10,0
------	------	------	------	------



		Order N°				Shank	
FG ●	524 ...	863-	012	014	016	018	-3
FG ●	544 ...	5863-	012	014	016	018	-3
FG ●	534 ...	3863-	012	014	016		-3
FG ●	514 ...	8863-	012	014	016		-3
FG ●	504 ...	4863-	012	014			-3



863GK

Long flame, safe end

806 314 256



Shank

L mm	10,0
------	------



		Order N°		Shank
FG ●	524 ...	863GK-	012	-3



864

Extra long flame

806 314 251



Shank

L mm	12,0
------	------




		Order N°		Shank
FG ●	524 ...	864-	012	-3
FG ●	534 ...	3864-	012	-3
FG ●	514 ...	8864-	012	-3

868

Tapered round

806 314 223



Shank

L mm 8,0 8,0 8,0 8,0



Order N° Shank

FG ●	524 ...	868-	012	014	016		-3
FG ●	544 ...	5868-		014	016	018	-3
FG ●	534 ...	3868-	012	014	016		-3
FG ●	514 ...	8868-	012	014	016		-3
FG ●	504 ...	4868-	012	014			-3

874

Adjusting preparation limit

806 314 534



Shank

L mm 2,0



Order N° Shank

FG ●	524 ...	874-	009	-3
FG ●	534 ...	3874-	009	-3
FG ●	514 ...	8874-	009	-3

875

Adjusting preparation limit

806 314 535



Shank

L mm 3,0



Order N° Shank

FG ●	524 ...	875-	009	-3
FG ●	534 ...	3875-	009	-3
FG ●	514 ...	8875-	009	-3

876

Short parallel chamfer, torpedo

806 314 287



Shank

L mm 5,0




Order N° Shank

FG ●	524 ...	876-	010	-3
FG ●	534 ...	3876-	010	-3
FG ●	514 ...	8876-	010	-3

877

Short parallel chamfer, torpedo

806 314 288




Shank		L mm					
		6,0	6,0	6,0	6,0		
		Order N°				Shank	
FG ●	524 ...	877-	010	012	014	016	-3
FG ●	544 ...	5877-		012			-3
FG ●	534 ...	3877-	010	012		016	-3
FG ●	514 ...	8877-	010	012		016	-3
FG ●	504 ...	4877-	010				-3

Match C243

877K

Short tapered chamfer, torpedo

806 314 297




Shank		L mm			
		6,0	6,0		
		Order N°		Shank	
FG ●	524 ...	877K-		016	-3
FG ●	544 ...	5877K-		016	-3
FG ●	534 ...	3877K-	014	016	-3
FG ●	514 ...	8877K-	014	016	-3

Match C282K

878

Parallel chamfer, torpedo

806 314 289



Shank		L mm						
		8,0	8,0	8,0	8,0	8,0		
		Order N°					Shank	
FG ●	524 ...	878-	010	012	014	016	-3	
FG ●	544 ...	5878-		012	014	016	018	-3
FG ●	534 ...	3878-	010	012	014	016	018	-3
FG ●	514 ...	8878-	010	012	014	016		-3
FG ●	504 ...	4878-	010		014			-3


Match C283



878K

Tapered chamfer, torpedo

806 314 298



Shank		L mm								
		8,0	8,0	8,0	8,0	8,0	8,0	Shank		
		Order N°							Shank	
FG ●	524 ...	878K-	012	014	016	018	021		-3	
FG ●	544 ...	5878K-	012	014	016	018	021	023	-3	
FG ●	534 ...	3878K-	012	014	016	018	021		-3	
FG ●	514 ...	8878K-	012	014	016	018	021		-3	
FG ●	504 ...	4878K-	012	014	016				-3	


Match C244K



879

Long parallel chamfer, torpedo

806 314 290




Shank		L mm								
		10,0	10,0	10,0	10,0	Shank				
		Order N°					Shank			
FG ●	524 ...	879-	012	014	016					-3
FG ●	544 ...	5879-	012	014	016	018				-3
FG ●	534 ...	3879-	012	014	016					-3
FG ●	514 ...	8879-	012	014	016					-3
FG ●	504 ...	4879-	012		016					-3

879K

Long tapered chamfer, torpedo

806 314 299



Shank		L mm									
		10,0	10,0	10,0	10,0	10,0	Shank				
		Order N°						Shank			
FG ●	524 ...	879K-	012	014	016	018	021			-3	
FG ●	544 ...	5879K-	012	014	016	018	021			-3	
FG ●	534 ...	3879K-	012	014	016	018	021			-3	
FG ●	514 ...	8879K-	012	014	016	018	021			-3	
FG ●	504 ...	4879K-	012	014	016					-3	


Match C284K



880

Short parallel chamfer, round

806 314 140




Shank		L mm						
		6,0	6,0	6,0	6,0	6,0	Shank	
		Order N°						Shank
FG●	524 ...	880-	010	012	014	016	018	-3
FG●	544 ...	5880-		012	014	016	018	-3
FG●	534 ...	3880-	010	012	014	016	018	-3
FG●	514 ...	8880-	010	012	014	016	018	-3
FG●	504 ...	4880-	010	012	014	016		-3



881

Parallel chamfer, round

806 314 141



Shank		L mm					
		8,0	8,0	8,0	8,0	Shank	
		Order N°				Shank	
FG●	524 ...	881-	010	012	014	016	-3
FG●	544 ...	5881-			014	016	-3
FG●	534 ...	3881-		012	014	016	-3
FG●	514 ...	8881-		012	014		-3
FG●	504 ...	4881-		012	014		-3



883

Pointed

806 314 539




Shank		L mm			
		3,0	Shank		
		Order N°		Shank	
FG●	524 ...	883-	010	-3	
FG●	534 ...	3883-	010	-3	



885

Beveled cylinder

806 314 130




Shank		L mm					
		8,0	8,0	8,0	8,0	Shank	
		Order N°				Shank	
FG●	524 ...	885-	012		016		-3
FG●	544 ...	5885-		014		018	-3
FG●	534 ...	3885-	012		016		-3
FG●	514 ...	8885-	012		016		-3

886

Long beveled cylinder

806 314 131



Shank

L mm 10,0 10,0




Order N° Shank

FG●	524 ...	886-	014	016	-3
FG●	544 ...	5886-		016	-3

888

Flame, slim version

806 314 496



Shank

L mm 8,0 8,0 8,0 8,0 8,0




Order N° Shank

FG●	524 ...	888-	010	012	014	016	018	-3
FG●	544 ...	5888-		012	014	016	018	-3
FG●	534 ...	3888-	010	012	014	016	018	-3
FG●	514 ...	8888-	010	012	014	016	018	-3
FG●	504 ...	4888-	010	012	014	016		-3

889

Needle

806 314 540



Shank

L mm 3,5 4,0 4,0




Order N° Shank

FG●	524 ...	889-	009	010		-3
FG●	544 ...	5889-		010	012	-3
FG●	534 ...	3889-	009	010		-3
FG●	514 ...	8889-	009	010		-3
FG●	504 ...	4889-	009	010		-3

899

Occlusal/palatal reduction

806 314 033



Shank

L mm 6,5 7,0 7,0



Order N° Shank


FG●	524 ...	899-	021	027	031	-3
FG●	544 ...	5899-	021	027	031	-3
FG●	534 ...	3899-	021	027	031	-3




909

Occlusal reduction

806 314 068




Shank		L mm				
		1,1	2,1	2,2		
		Order N°			Shank	
FG ●	524 ...	909-	040	050	055	-3
FG ●	544 ...	5909-	040	050	055	-3
FG ●	534 ...	3909-	040	050	055	-3




970

Occlusal shaping/finishing

806 314 463




Shank		L mm				
		1,6	1,6			
		Order N°		Shank		
FG ●	524 ...	970-	023	027	-3	
FG ●	514 ...	8970-	023	027	-3	



998

Tapered chamfer with guide-pin

806 314 508



Shank		L mm				
		9,0	9,0	9,0		
		Order N°			Shank	
FG ●	544 ...	5998-	016	021	023	-3
FG ●	514 ...	8998-	016	021	023	-3



Diamond coated burs

GOLD



G 3368

Pointed bud

V806 314 257



Shank		L mm		5,0	
 		Order N°		Shank	
FG●	534 ...	G3368-	023	-3	





G 3847

Tapered shoulder

V806 314 172



Shank		L mm		8,0 8,0	
 		Order N°		Shank	
FG●	534 ...	G3847-	014	016	-3




G 3379

Egg/Football

V806 314 277



Shank		L mm		4,2	
 		Order N°		Shank	
FG●	534 ...	G3379-	023	-3	




G 3811

Barrel

V806 314 038




Shank		L mm		4,2	
		Order N°		Shank	
FG●	534 ...	G3811-	033	-3	



G 3830L

Pear long

V806 314 239




Shank		L mm		4,0 5,0 5,0	
		Order N°		Shank	
FG●	534 ...	G3830L-	012	014	016 -3



G 3850

Tapered round, long

V806 314 199




Shank		L mm					10,0	10,0	10,0
		Order N°					Shank		
FG ●	534 ...	G3850-	012	014	016	-3			



G 3856

Tapered chamfer, round

V806 314 198




Shank		L mm				8,0	8,0	8,0	8,0
		Order N°				Shank			
FG ●	534 ...	G3856-	014	016	018	021	-3		



G 3878K

Tapered chamfer, torpedo

V806 314 298



Shank		L mm					8,0	8,0	8,0	8,0	8,0
		Order N°					Shank				
FG ●	534 ...	G3878K-	014	016	018	020	022	-3			



G 3879

Long parallel chamfer, torpedo

V806 314 290




Shank		L mm		10,0
		Order N°		Shank
FG ●	534 ...	G3879-	014	-3



G 3879K

Long tapered chamfer, torpedo

V806 314 299



Shank		L mm				10,0	10,0	10,0	10,0
		Order N°				Shank			
FG ●	534 ...	G3879K-	012	014	016	018	-3		


Diamond coated burs

MICROPREPARATION



MP 801

Micro round




Shank		L mm			
		Order N°			Shank
FG ●	524 ...	MP801-	009	012	-3
FG ●	514 ...	MP8801-	009	012	-3



MP 802

Micro round with collar




Shank		L mm				
		2,5	3,0	3,0		
		Order N°				Shank
FG ●	524 ...	MP802-	008	012	014	-3
FG ●	514 ...	MP8802-	008	012	014	-3



MP 830

Micro pear




Shank		L mm				
		2,7	2,7			
		Order N°				Shank
FG ●	524 ...	MP830-	009	012	-3	
FG ●	514 ...	MP8830-	009	012	-3	



MP 830RM

Micro pear slim



Shank		L mm				
		2,5	2,5			
		Order N°				Shank
FG ●	524 ...	MP830RM-	008	010	-3	
FG ●	514 ...	MP8830RM-	008	010	-3	





MP 835KR

Micro cylinder, rounded edge




Shank		L mm		2,0	
		Order N°		Shank	
FG ●	524 ...	MP835KR-	008	-3	
FG ●	514 ...	MP8835KR-	008	-3	



MP 838

Micro cylinder, rounded edge




Shank		L mm		2,6	
		Order N°		Shank	
FG ●	524 ...	MP838-	007	-3	
FG ●	514 ...	MP8838-	007	-3	



MP 889

Micro lance



Shank		L mm		2,7 3,9	
		Order N°		Shank	
FG ●	524 ...	MP889-	007	009	-3
FG ●	514 ...	MP8889-	007	009	-3



Diamond coated burs

MINI



801M

Round

806 313 001



Shank

L mm

		Order N°		Shank
FG ●	524 ...	801M-	008	-3



845M

Flat end taper

806 313 168



Shank

L mm

		Order N°		Shank
FG ●	524 ...	845M-	008	-3



805M

Inverted cone

806 313 010



Shank

L mm


		Order N°		Shank
FG ●	524 ...	805M-	008	-3



852M

Short pointed

806 313 164



Shank

L mm

		Order N°		Shank
FG ●	524 ...	852M-	008	-3



835M

Cylinder flat end

806 313 107



Shank

L mm

		Order N°		Shank
FG ●	524 ...	835M-	008	-3



Diamond coated burs

RAPID GRINDER



837S

Rapid grinder, flat end

806 314 A111



Shank		L mm 7,0		
Order N°		Shank		
FG ●	524 ...	837S-	014	-3
FG ●	534 ...	3837S-	014	-3



848A

Rapid grinder, round end

806 314 516



Shank		L mm 10,0		
Order N°		Shank		
FG ●	524 ...	848A-	018	-3
FG ●	534 ...	3848A-	018	-3



842A

Rapid grinder, round end

806 314 510



Shank		L mm 10,0		
Order N°		Shank		
FG ●	524 ...	842A-	018	-3
FG ●	534 ...	3842A-	018	-3



848S

Rapid grinder

806 314 A173



Shank		L mm 10,0 10,0			
Order N°		Shank			
FG ●	524 ...	848S-	018	023	-3
FG ●	534 ...	3848S-	018	023	-3



842S

Rapid grinder, flat end

806 314 A113



Shank		L mm 10,0		
Order N°		Shank		
FG ●	524 ...	842S-	018	-3
FG ●	534 ...	3842S-	018	-3



847S

Rapid grinder

806 314 A172



Shank		L mm 7,0		
Order N°		Shank		
FG ●	524 ...	847S-	014	-3



Diamond coated burs

TURBO DIAMONDS

811T

Occlusal/palatal reduction

T806 314 038



Shank	L mm		4,2		
	Order N°		Shank		
FG ●	534 ...	3811T-	018	-3	

878KT

Tapered chamfer, torpedo

T806 314 298



Shank	L mm		8,0		
	Order N°		Shank		
FG ●	534 ...	3878KT-	014	-3	

850T

Tapered round, long

T806 314 199



Shank	L mm		10,0 10,0		
	Order N°		Shank		
FG ●	544 ...	5850T-	014	016	-3
FG ●	534 ...	3850T-	014	016	-3

881T

Parallel chamfer, round

T806 314 141



Shank	L mm		8,0 8,0		
	Order N°		Shank		
FG ●	534 ...	3881T	012	014	-3

859T

Needle

T806 314 166



Shank	L mm		10,0		
	Order N°		Shank		
FG ●	544 ...	5859T-	018	-3	

863T

Long flame

T806 314 250





Shank	L mm				
	Order N°		Shank		
FG ●	534 ...	3863T-	014	-3	



Diamond coated burs

ZIRCONA



Z 801
Round
 806 314 001

Shank

L mm		Order N°			Shank
FG ●●	535 ...	Z801-	010	-3	



Z 830
Pear
 806 314 238

Shank

L mm		Order N°			Shank
FG ●●	535 ...	Z830-	014	-3	



Z 856
Short tapered chamfer, round
 806 314 197

Shank

L mm		Order N°			Shank
FG ●●	535 ...	Z856-	014	-3	

Z 880
Short parallel chamfer, round
 806 314 140

Shank

L mm		Order N°			Shank
FG ●●	535 ...	Z880-	014	-3	





Z 3379

Egg/Football

806 314 277

Shank



L mm

Order N°

Shank

FG ●●

535 ...

Z3379-

023

-3



Z 3801L

Round

806 314 001

Shank



L mm

Order N°

Shank

FG ●●

535 ...

Z3801L-

014

-3



Z 3838L

Short cylinder rounded edge

806 314 137

Shank



L mm

Order N°

Shank

FG ●●

535 ...

Z3838L-

012

-3




Z 3850

Tapered round, long

806 314 197

Shank



L mm

Order N°

Shank

FG ●●

535 ...

Z3850-

025

-3



Z 3860

Short flame

806 314 245

Shank



L mm

Order N°

Shank

FG ●●

535 ...

Z3860-

014

-3



Carbide instruments



Carbide	p. 40
Finishing Instrument	p. 48
Crown Cutters	p. 63
Amalgam Remover	p. 65
Intraoral trimming on titanium	p. 67
Surgery	p. 69
Periodontic	p. 75

Carbide instruments


CARBIDES



C1SXM

Round

C1SXM.204. ...



Shank



Order N° Shank

RA ●	C1SXM-	010	012	014	016	018	021	023	027	-2
------	--------	-----	-----	-----	-----	-----	-----	-----	-----	----


500 - 3000 rpm



C1SXML

Round, long

C1SXM.205. ...



Shank



Order N° Shank

RA L ●	C1SXML-	010	014	018	023	-2
--------	---------	-----	-----	-----	-----	----


500 - 3000 rpm



C1S

Round

500 314 001 003



Shank



Order N° Shank

FG ●	C1S-	010	012	014	016	018	021	023		-3
------	------	-----	-----	-----	-----	-----	-----	-----	--	----

Max 300 000 rpm

500 204 001 003

RA ●	C1S-	010	012	014	016	018	021	023	027	-2
------	------	-----	-----	-----	-----	-----	-----	-----	-----	----


Max 50 000 rpm



C1SL

Round, long

500 205 001 003



Shank



Order N°		Shank					
RA L	C1SL-	010	014	018	023	027	-2


Max 50 000 rpm



C1SNL

Round, extra-long

500 206 001 003



Shank



Order N°		Shank			
RA XL	C1SNL-	006	008	010	-2


1500 - 2000 rpm



C1

Round

500 314 001 001



Shank



Order N°													Shank	
FG	C1-	005	006	007	008	010	012	014	016	018	021	023	027	-3

Max 300 000 rpm

500 204 001 001

RA	C1-			007	008	010	012	014	016	018	021	023	027	-2
----	-----	--	--	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	----


Max 50 000 rpm



C1L

Round, long

500 316 001 001



Shank

Order N°								Shank
FGXL	C1L-	010	012	014	016	018	023	-3


Max 300 000 rpm



C1XL

Round, long cross

500 206 001 294



Shank


Order N°		Shank				
RAXL	C1XL-	014	018	023	027	-2



C2

Inverted cone

500 314 010 006



Shank

Order N°		Shank									
FG	C2-	L mm	0,5	0,9	1,0	1,1	1,2	1,4	1,6	1,7	-3
FG	C2-		006	007	008	010	012	014	016	018	-3

Max 300 000 rpm

500 204 010 006

RA	C2-				010	012	014	016	018	-2
----	-----	--	--	--	-----	-----	-----	-----	-----	----


Max 50 000 rpm



C7

Pear

500 314 232 001



Shank

Order N°		Shank				
FG	C7-	L mm	1,7	1,8	1,8	-3
FG	C7-		008	010	012	-3

Max 300 000 rpm

500 204 232 001

RA	C7-		008	010	012	-2
----	-----	--	-----	-----	-----	----

Max 50 000 rpm






C21

Cylinder

500 314 107 006



Shank

L mm	3,5	4,0	4,0	4,5	4,5	5,0
------	-----	-----	-----	-----	-----	-----



Order N°						Shank
----------	--	--	--	--	--	-------

FG		C21-	008	009	010	012	014	016	-3
----	--	------	-----	-----	-----	-----	-----	-----	----


Max 300 000 rpm



C21L

Cylinder, long

500 314 110 006



Shank

L mm	5,5	5,5	6,0	6,0
------	-----	-----	-----	-----



Order N°					Shank
----------	--	--	--	--	-------

FG		C21L-	009	010	012	014	-3
----	--	-------	-----	-----	-----	-----	----


Max 300 000 rpm



C21R

Cylinder, rond

500 314 137 006



Shank

L mm	3,5	4,0	4,5	4,5
------	-----	-----	-----	-----



Order N°					Shank
----------	--	--	--	--	-------

FG		C21R-	008	010	012	014	-3
----	--	-------	-----	-----	-----	-----	----

Max 300 000 rpm

500 204 137 006

RA		C21R-	008	010			-2
----	--	-------	-----	-----	--	--	----


Max 50 000 rpm



C21RX

Cylinder, rond cross

500 314 140 019



Shank

L mm 5,6 5,6



Order N° Shank

FG		C21RX-	010	012	-3
----	--	--------	-----	-----	----


180 000 - 200 000 rpm



C23

Tapered

500 314 168 006



Shank

L mm 3,5 4,0 4,0 4,5 4,5



Order N° Shank

FG		C23-	008	009	010	012	014	-3
----	--	------	-----	-----	-----	-----	-----	----

Max 300 000 rpm

500 204 168 006

RA		C23-	008		010	012	014	-2
----	--	------	-----	--	-----	-----	-----	----


Max 50 000 rpm



C23L

Tapered, long

500 314 171 006



Shank

L mm 5,5 6,0



Order N° Shank

FG		C23L-	010	012	-3
----	--	-------	-----	-----	----


Max 300 000 rpm



C23R

Tapered, rond

500 314 194 006



Shank

L mm 4,0 4,5 4,5 4,5



Order N°

Shank

FG		C23R-	010	012	014	016	-3
----	--	-------	-----	-----	-----	-----	----

Max 300 000 rpm

500 204 194 006


RA		C23R-	010	012	014	016	-2
----	--	-------	-----	-----	-----	-----	----

Max 50 000 rpm

C23RX

Tapered, rond cross

500 314 197 019



Shank

L mm 5,6 5,6



Order N°

Shank


FG		C23RX-	010	012	-3
----	--	--------	-----	-----	----

180 000 - 200 000 rpm

C23SR

Tapered, small rond

500 314 194 019



Shank

L mm 4,0 4,0



Order N°

Shank


FG		C23SR-	008	010	-3
----	--	--------	-----	-----	----

Max 300 000 rpm

C25R

Pear, long

500 314 238 006



Shank

L mm 4,0 4,5 4,5



Order N°

Shank


FG		C25R-	010	012	014	-3
----	--	-------	-----	-----	-----	----

Max 300 000 rpm

C31

Cylinder with cross cut

500 314 107 007



Shank

L mm 3,5 4,0 4,5 4,5 5,0



Order N° Shank

FG	C31-	008	010	012	014	016	-3
----	------	-----	-----	-----	-----	-----	----

Max 300 000 rpm

500 204 107 007


RA	C31-	008	010	012	014		-2
----	------	-----	-----	-----	-----	--	----

Max 50 000 rpm

C31L

Cylinder, long with cross cut

500 314 110 007



Shank

L mm 5,5 6,0



Order N° Shank


FG	C31L-	010	012	-3
----	-------	-----	-----	----

Max 300 000 rpm

C31R

Cylinder, rond with cross cut

500 314 137 007



Shank

L mm 3,5 4,0 4,5 4,5



Order N° Shank


FG	C31R-	008	010	012	014	-3
----	-------	-----	-----	-----	-----	----

Max 300 000 rpm

C33

Tapered with cross cut

500 314 168 007



Shank

L mm 4,0 4,0 4,5 4,5 5,0



Order N°

Shank

FG		C33-	009	010	012	014	016	-3
----	--	------	-----	-----	-----	-----	-----	----

Max 300 000 rpm

500 204 168 007


RA		C33-			012			-2
----	--	------	--	--	-----	--	--	----

Max 50 000 rpm

C33L

Tapered, long with cross cut

500 314 171 007



Shank

L mm 5,5 5,5 6,0 6,5



Order N°

Shank


FG		C33L-	009	010	012	016	-3
----	--	-------	-----	-----	-----	-----	----

Max 300 000 rpm

C33R

Tapered, rond with cross cut

500 314 194 007



Shank

L mm 4,0 4,5



Order N°

Shank

FG		C33R-	010	014	-3
----	--	-------	-----	-----	----

Max 300 000 rpm

Carbide instruments

FINISHING INSTRUMENTS



C41


Round

500 314 001 071

Shank



FG ●



L mm	1,0	1,2	1,6	2,06
------	-----	-----	-----	------

Order N°	Shank				
----------	-------	--	--	--	--

C41-	012	014	018	023	-3
------	-----	-----	-----	-----	----

Max 300 000 rpm up to diam 018

Max 140 000 rpm from diam 023

500 204 001 071

RA ●	C41-	014	018	023	-2
------	------	-----	-----	-----	----

Max 100 000 rpm up to diam 018

Max 50 000 rpm from diam 023

12 blades 014

18 blades 018

20 blades 023



C44E

Egg/Football

500 314 277 072

Shank




FG ●

L mm	2,9	3,5	4,2
------	-----	-----	-----

Order N°	Shank			
----------	-------	--	--	--

C44E-	014	018	023	-3
-------	-----	-----	-----	----



Max 300 000 rpm

500 204 277 072

RA ●

C44E-	014	018	023	-2
-------	-----	-----	-----	----

Max 50 000 rpm

12 blades



C44EF

Egg/Football

500 314 277 042

Shank




FG ●

L mm	3,5
------	-----

Order N°	Shank
----------	-------

C44EF-	018	-3
--------	-----	----



Max 300 000 rpm

500 204 277 042

RA ●

C44EF-	018	-2
--------	-----	----

Max 50 000 rpm

16-22 blades



C44UF

Egg/Football

500 314 277 032



Shank

L mm 3,5



Order N° Shank

FG

C44UF- 018 -3

Max 300 000 rpm

500 204 277 032

RA

C44UF- 018 -2

Max 50 000 rpm

30 blades



C45

Grenade

500 314 274 072



Shank

L mm 4,0



Order N° Shank

FG

C45- 018 -3

Max 300 000 rpm

500 204 274 072

RA

C45- 018 -2

Max 50 000 rpm

12 blades






C46E

Flame

500 314 254 072



Shank



L mm	3,3	3,3	3,6	4,1	Order N°	Shank
FG ●	C46E-	012	014	018	023	-3

Max 300 000 rpm

500 204 254 072

RA ●	C46E-	012	014	018	023	-2
------	-------	-----	-----	-----	-----	----

Max 50 000 rpm


12 blades



C46EL

Flame

500 314 496 071



Shank



L mm	5,4	5,4	Order N°	Shank
FG ●	C46EL-	010	012	-3


Max 300 000 rpm



C48

Flame

500 314 243 072



Shank



L mm	3,4	3,5	3,5	4,0
------	-----	-----	-----	-----

Order N°	Shank				
----------	-------	--	--	--	--

FG ●		C48-	009	010	012	014	-3
------	--	------	-----	-----	-----	-----	----

Max 300 000 rpm

12 blades



C48F

Flame

500 314 243 042



Shank



L mm	3,5
------	-----

Order N°	Shank
----------	-------

FG ●		C48F-	012	-3
------	--	-------	-----	----

Max 300 000 rpm

500 204 243 042

Order N°	Shank	
----------	-------	--

RA ●		C48F-	012	-2
------	--	-------	-----	----

Max 50 000 rpm

16-22 blades



C48L

Flame, long

500 314 249 072



Shank



L mm	8,0
------	-----

Order N°	Shank
----------	-------

FG ●		C48L-	012	-3
------	--	-------	-----	----

Max 300 000 rpm

12 blades

Matches 862 diamond



C48LF

Flame, long

500 314 249 042



Shank	L mm	8,0
	Order N°	Shank
FG ●	C48LF-	012 -3

Max 300 000 rpm

16-22 blades

Matches 862 diamond



C48LUF

Flame, long

500 314 249 032



Shank	L mm	8,0
	Order N°	Shank
FG ●	C48LUF-	012 -3

Max 300 000 rpm

30 blades

Matches 862 diamond



C50A

Interproximal, safe end

500 314 474 071



Shank	L mm	8,0
 	Order N°	Shank
FG ●	C50A-	010 -3

Max 300 000 rpm

12 blades



C50AF

Interproximal, safe end

500 314 474 041



Shank	L mm	8,0
 	Order N°	Shank
FG ●	C50AF-	010 -3

Max 300 000 rpm

16-22 blades





C332

Safe end

500 314 699 071



Shank



FG ●		C332-	008	-3
------	--	-------	-----	----

Max 300 000 rpm

500 204 699 071

RA ●		C332-	008	-2
------	--	-------	-----	----

Max 50 000 rpm

8 blades



C333

Small point

500 314 159 071



Shank



FG ●		C333-	010	-3
------	--	-------	-----	----

Max 300 000 rpm

8 blades



C333F

Small point

500 314 159 041



Shank



FG ●		C333F-	010	-3
------	--	--------	-----	----

Max 300 000 rpm


16-22 blades



C333UF

Small point

500 314 159 031



Shank



L mm 4,2

Order N° Shank

FG

C333UF- 010 -3

Max 300 000 rpm

30 blades



C334

Medium point

500 314 164 071



Shank



L mm 6,0

Order N° Shank

FG

C334- 014 -3

Max 300 000 rpm

8 blades

Matches 8852 diamond



C334F

Medium point

500 314 164 041



Shank



L mm 6,0

Order N° Shank

FG

C334F- 014 -3

Max 300 000 rpm

16-22 blades

Matches 4852 diamond





C334UF

Medium point

500 314 164 031



Shank



FG		C334UF-	014	-3
----	--	---------	-----	----

L mm	6,0
------	-----

Order N°	Shank
----------	-------

Max 300 000 rpm

30 blades

Matches 852UF diamond



C335

Long point

500 314 166 071



Shank



FG		C335-	014	-3
----	--	-------	-----	----

L mm	9,0
------	-----

Order N°	Shank
----------	-------

Max 300 000 rpm

8 blades

Matches 8859 diamond



C335F

Long point

500 314 166 041



Shank



FG		C335F-	014	-3
----	--	--------	-----	----

L mm	9,0
------	-----

Order N°	Shank
----------	-------

Max 300 000 rpm

16-22 blades

Matches 4859 diamond



C335UF

Long point

500 314 166 031



Shank



FG		C335UF-	014	-3
----	--	---------	-----	----

L mm	9,0
------	-----

Order N°	Shank
----------	-------

Max 300 000 rpm

30 blades


Matches 859UF diamond



C243

Parallel chamfer, Torpedo

500 314 288 072



Shank



FG		C243-	010	012	-3
----	--	-------	-----	-----	----

L mm	6,0	6,0
------	-----	-----

Order N°	Shank
----------	-------

Max 300 000 rpm

500 204 288 072

RA		C243-	010	012	-2
----	--	-------	-----	-----	----

Max 100 000 rpm

8 to 10 blades


Matches 877 diamond



C283

Parallel chamfer, Torpedo

500 314 289 072



Shank



FG		C283-	012	014	-3
----	--	-------	-----	-----	----

L mm	8,0	8,0
------	-----	-----

Order N°	Shank
----------	-------

Max 300 000 rpm

500 204 289 072

RA		C283-	012	014	-2
----	--	-------	-----	-----	----

Max 100 000 rpm

8 to 12 blades

Matches 878 diamond



C282K

Tapered chamfer, Torpedo

500 314 297 072



Shank

L mm 6,0

2°



Order N° Shank

FG ●

C282K- 014 -3

Max 300 000 rpm

500 204 297 072

RA ●

C282K- 014 -2

Max 100 000 rpm

8 to 10 blades

Matches 877K diamond



C244K

Tapered chamfer, Torpedo

500 314 298 072



Shank

L mm 8,0

2°



Order N° Shank

FG ●

C244K- 016 -3

Max 300 000 rpm

500 204 298 072

RA ●

C244K- 016 -2

Max 100 000 rpm

10 to 12 blades

Matches 878K diamond






C283K

Tapered chamfer, Torpedo

500 314 298 072



Shank

L mm 8,0

2°



Order N° Shank

FG ●

C283K- 021 -3

Max 300 000 rpm

500 204 298 072

RA ●

C283K- 021 -2

Max 100 000 rpm

10 to 12 blades

Matches 878K diamond



C284K

Tapered chamfer, Torpedo

500 314 299 072



Shank

L mm 10,0

2°



Order N° Shank

FG ●

C284K- 018 -3

Max 300 000 rpm

12 blades

Matches 879K diamond



C244KR

Parallel shoulder, rounded edge

500 314 158 072



Shank

L mm 8,0 8,0



Order N° Shank

FG ●

C244KR- 012 014 -3

Max 300 000 rpm

10 blades

Matches 837KR diamond



C336

Tapered shoulder, Torpedo

500 314 198 072



Shank		L mm	8,0		
		Order N°	Shank		
FG ●		C336-	016	-3	

160 000 rpm

12 blades


Matches 847KR diamond



C375LR

Tapered chamfer, Round

500 314 198 072



Shank		L mm	8,0	8,0	8,0	8,0	8,0	
			2°	2°	2°	2°	2°	
		Order N°	Shank					
FG ●		C375LR-	012	014	016	018	023	-3

Max 300 000 rpm

12 blades

Matches 856 diamond



C207

End cutting bur

500 314 150 001



Shank						
		Order N°	Shank			
FG		C207-	012	-3		

Matches 839 diamond






C390

Grenade

500 314 274 072



Shank



L mm	3,5	3,5	3,7
------	-----	-----	-----

Order N°					Shank
----------	--	--	--	--	-------

FG ●		C390-	014	016	018	-3
------	--	-------	-----	-----	-----	----

Max 300 000 rpm

500 204 274 072

RA ●		C390-	014	016	018	-2
------	--	-------	-----	-----	-----	----

18 000 - 30 000 rpm


12 blades



C390UF

Grenade

500 314 274 032



Shank



L mm	3,5
------	-----

Order N°		Shank
----------	--	-------

FG ●		C390UF-	016	-3
------	--	---------	-----	----

Max 300 000 rpm

500 204 274 032

RA ●		C390UF-	016	-2
------	--	---------	-----	----

18 000 - 30 000 rpm

30 blades






C246

Needle/Flame

500 314 495 071



Shank



		Order N°					Shank	
FG ●		C246-	008	009	010	012	014	-3

Max 300 000 rpm

500 204 495 071

RA ●		C246-				012		-2
------	--	-------	--	--	--	-----	--	----

Max 100 000 rpm


12 blades



C446

Square

500 314 467 211



Shank



		Order N°				Shank
FG		C446-	010	012	014	-3



C97

Three-edges wedge

500 314 468 373



Shank



		Order N°		Shank
FG		C97-	010	-3

Carbide instruments


CROWN CUTTERS



C34

For metal crowns

500 314 138 293



Shank

L mm 2,0 2,0



Order N° Shank

FG●

C34- 010 012 -3

180 000 - 200 000 rpm


Cross-cut



C36R

For metal crowns

500 314 139 293



Shank

L mm 4,0 4,5



Order N° Shank

FG●

C36R- 010 012 -3

180 000 - 200 000 rpm


Cross-cut



C21RX

For metal crowns

500 314 140 019



Shank

L mm 5,6 5,6



Order N° Shank

FG

C21RX- 010 012 -3

180 000 - 200 000 rpm


Double-cut



C23RX

For metal crowns

500 314 197 019



Shank

L mm 5,6 5,6



Order N° Shank

FG		C23RX-	010	012	-3
----	--	--------	-----	-----	----

180 000 - 200 000 rpm



C21A

For metal crowns

500 314 137 006



Shank

L mm 4,0



Order N° Shank

FG		C21A-	012	-3
----	--	-------	-----	----


Single-use



C4CC

For metal, titanium and low-fused ceramic crowns

500 314 138 019



Shank

L mm 2,1 2,1



Order N° Shank

FG ●●		C4CC-	010	012	-3
-------	--	-------	-----	-----	----

120 000 - 160 000 rpm



C4CCL

For metal, titanium and low-fused ceramic crowns

500 314 139 019



Shank

L mm 3,5



Order N° Shank

FG ●●		C4CCL-	012	-3
-------	--	--------	-----	----

120 000 - 160 000 rpm



C4T

For metal crowns

500 314 139 008



Shank

L mm 4,0



Order N° Shank

FG		C4T-	012	-3
----	--	------	-----	----

60 000 - 160 000 rpm

Carbide instruments

AMALGAM REMOVER



C32HG

Amalgam remover

500 314 137 018 ...



Shank

L mm 4,2



Order N° Shank

FG ●●	C32HG-	012	-3
-------	--------	-----	----

180 000 - 200 000 rpm


Medium double-cut with overflow cut



CTC7X

Amalgam & composite remover

500 314 232 019 ...



Shank

L mm 1,8



Order N° Shank

FG	CTC7X-	012	-3
----	--------	-----	----


160 000 rpm



CTC7XL

Amalgam & composite remover

500 314 234 019 ...



Shank

L mm 4,2 4,4



Order N° Shank

FG	CTC7XL-	012	014	-3
----	---------	-----	-----	----


160 000 rpm



CTC21RX

Amalgam & composite remover

500 314 137 019 ...



Shank

L mm 4,2 4,2



Order N° Shank

FG		CTC21RX-	012	014	-3
----	--	----------	-----	-----	----

160 000 rpm



CTC23RX

Amalgam & composite remover

500 314 194 019 ...



Shank

L mm 4,2



Order N° Shank

FG		CTC23RX-	012	-3
----	--	----------	-----	----

160 000 rpm

Carbide instruments

INTRAORAL TRIMMING ON TITANIUM



C275RX


500 314 141 080 ...

Shank



FG

100 000 rpm



L mm	8,0	8,0
------	-----	-----

Order N°	Shank	
----------	-------	--

C275RX-	012	014	-3
---------	-----	-----	----



C283RX

500 314 289 080 ...

Shank



FG

100 000 rpm



L mm	8,0
------	-----

Order N°	Shank
----------	-------

C283RX-	012	-3
---------	-----	----



C375RX

500 314 198 080 ...

Shank



FG

100 000 rpm



L mm	8,0
------	-----

Order N°	Shank
----------	-------

C375RX-	016	-3
---------	-----	----



C379RX

500 314 277 080 ...



Shank

L mm 8,0



Order N° Shank

FG		C379RX-	023	-3
----	--	---------	-----	----

100 000 rpm



C48RX

500 314 289 080 ...



Shank

L mm 8,0



Order N° Shank

FG		C48RX-	012	-3
----	--	--------	-----	----

100 000 rpm



Carbide instruments

SURGERY



CTC135

Soft tissue trimmer



Shank		L mm	5,0		
		Order N°	Shank		
FG		CTC135-	016	-3	

300 000 - 500 000 rpm



CTC46

Soft tissue trimmer



Shank		L mm	8,0		
		Order N°	Shank		
FG		CTC46-	016	-3	


300 000 - 500 000 rpm



C31RL

Bone cutter

500 316 140 107 ...



Shank		L mm	6,0	6,0	
		Order N°	Shank		
FG		C31RL-	010	012	-3

Max 100 000 rpm



C700XXL

Bone cutter

500 314 415 296 ...



Shank



FG		C700XXL-	011	-3
----	--	----------	-----	----

L mm	5,0
------	-----

Order N°	Shank
----------	-------

15 000 - 60 000 rpm



C269

Bone cutter

500 314 199 295 ...



Shank



FG		C269-	016	-3
----	--	-------	-----	----

L mm	11,0
------	------

Order N°	Shank
----------	-------

500 204 199 295 ...

RA		C269-	016	-2
----	--	-------	-----	----

500 104 199 295 ...

HP		C269-	016	-104
----	--	-------	-----	------

Max 3000 rpm






C151

Bone cutter, Zekrya

500 316 199 336 ...



Shank

L mm 11,0 11,0



Order N° Shank

FG		C151P-	016	-3
----	--	--------	-----	----

500 317 199 336 ...

FG		C151PL-	016	-3
----	--	---------	-----	----

500 204 199 336 ...

RA		C151-	012	-2
----	--	-------	-----	----

500 104 199 336 ...

HP		C151-	012	-1
----	--	-------	-----	----

Max 160 000 rpm



C152

Bone cutter, Endo-Z

500 314 210 295 ...



Shank

L mm 9,0



Order N° Shank

FG		C152-	014	-3
----	--	-------	-----	----

500 315 210 295 ...

FG		C152L-	014	-3
----	--	--------	-----	----

Max 120 000 rpm



C269GK

Bone cutter, Endo-Z

500 314 219 295 ...



Shank

L mm 9,0



Order N° Shank

FG		C269GK-	016	-3
----	--	---------	-----	----

Max 120 000 rpm





C161

Bone cutter, Lindemann

500 314 408 295 ...



Shank		L mm	9,0		
		Order N°	Shank		
FG		C161-	016	-3	

500 104 408 295 ...

HP		C161-	016	-1	
----	--	-------	-----	----	--

Max 3000 rpm



C162

Bone cutter, Lindemann

500 314 408 297 ...



Shank		L mm	9,0		
		Order N°	Shank		
FG		C162-	016	-3	

500 204 408 297 ...

RA		C162-	016	-2	
----	--	-------	-----	----	--

500 104 408 297 ...

HP		C162-	016	-1	
----	--	-------	-----	----	--

Max 3000 rpm



C162A

Bone cutter, Lindemann

500 314 408 298 ...



Shank		L mm	9,0		
		Order N°	Shank		
FG		C162A-	016	-3	

500 204 408 298 ...

RA		C162A-	016	-2	
----	--	--------	-----	----	--

500 104 408 298 ...

HP		C162A-	016	-1	
----	--	--------	-----	----	--


Max 3000 rpm



C254

Bone cutter

500 316 254 297 ...



Shank

L mm 6,0 6,0



Order N° Shank

FG		C254-	012		-316
----	--	-------	-----	--	------

500 317 254 297 ...

FG		C254-	012		-317
----	--	-------	-----	--	------

500 205 254 297 ...

RA		C254-	012	016	-205
----	--	-------	-----	-----	------

500 104 254 297 ...

HP		C254-	012	016	-104
----	--	-------	-----	-----	------

Max 160 000 rpm



C408S

Bone cutter

500 316 408S 297 ...



Shank

L mm 10,0



Order N° Shank

FG		C408S-	016		-316
----	--	--------	-----	--	------

500 204 408S 297 ...

RA		C408S-	016		-205
----	--	--------	-----	--	------

500 104 408S 297 ...

HP		C408S-	016		-104
----	--	--------	-----	--	------

500 106 408S 297 ...

HP		C408S-	016		-106
----	--	--------	-----	--	------



C409S

Bone cutter

500 205 409S 297 ...



Shank

L mm 10,0



Order N° Shank

RA		C409S-	016	-205
----	--	--------	-----	------

500 104 409S 297 ...

HP		C409S-	016	-104
----	--	--------	-----	------

500 106 409S 297 ...


HP		C409S-	016	-106
----	--	--------	-----	------



C141F

Bone cutter round

500 104 001 251



Shank



Order N° Shank

HP		C141F-	010	014	018	023	027	031	035	040	-104
----	--	--------	-----	-----	-----	-----	-----	-----	-----	-----	------

500 205 001 251

RA		C141F-	010	014	018	023	027	031	035	040	-205
----	--	--------	-----	-----	-----	-----	-----	-----	-----	-----	------


Max 3000 rpm



C141AL

Bone cutter round

500 104 001 298



Shank



Order N° Shank

HP		C141AL-	023	027	031	035	-104
----	--	---------	-----	-----	-----	-----	------

500 205 001 298

RA		C141AL-	023	027	031	035	-205
----	--	---------	-----	-----	-----	-----	------

Max 3000 rpm

Carbide instruments

PERIODONTIC



C407

500 204 258 381 ...



Shank

L mm 2,9

Order N° Shank

RA		C407-	012	-2
----	--	-------	-----	----


Max 12 000 rpm

Root smoothing



C407L

500 204 259 381 ...



Shank

L mm 2,9

Order N° Shank

RA		C407L-	012	-2
----	--	--------	-----	----

Max 12 000 rpm

Root smoothing

Polishing instruments



Polishing instruments

SILICONE POLISHERS

Universal Polishers

Medium



Shank

Shank

RA		Order N°	G1	G5	G5B	G4	G2	G7	G8	G9	-2

7 000 to 10 000 rpm

Ceramic Polishers

Coarse



Shank

Shank

RA		Order N°	KV2B	KV7	-2

7 000 to 15 000 rpm

Ceramic Polishers

Medium



Shank

Shank

RA		Order N°	KN2B	KN7	-2

7 000 to 15 000 rpm

Ceramic Polishers

Fine



Shank

Shank

RA		Order N°	KS2B	KS7	-2

Polishing instruments

PROPHYLAXIS POLISHERS

Prophylaxis

Medium



Shank

Shank



RA		Order N°	PR7L	-2
----	--	----------	------	----

5 000 to 12 000 rpm

Prophylaxis

Medium



Shank

Shank



RA		Order N°	PR7	-2
----	--	----------	-----	----

5 000 to 12 000 rpm

Prophylaxis

Fine



Shank

Shank



RA		Order N°	PR111	-2
----	--	----------	-------	----

5 000 to 12 000 rpm

Prophylaxis

Extra-Fine



Shank

Shank



RA		Order N°	PR5	-2
----	--	----------	-----	----

5 000 to 12 000 rpm

Prophylaxis

Extra-Fine



Shank

Shank



RA		Order N°	PR5K	-2
----	--	----------	------	----

5 000 to 12 000 rpm

Prophylaxis

Extra-Fine



Shank

Shank



RA		Order N°	PR112	-2
----	--	----------	-------	----

5 000 to 12 000 rpm

Prophylaxis



Shank

Shank



RA		Order N°	B1-045	-2
----	--	----------	--------	----

5 000 rpm with polishing paste

Prophylaxis



Shank

Shank




RA		Order N°	B12-045	-2
----	--	----------	---------	----

5 000 rpm with polishing paste



Prophylaxis






Shank		Shank		
				
RA		Order N°	B12-065	-2

5 000 rpm with polishing paste

Prophylaxis






Shank		Shank		
  				
RA		Order N°	DB1-045	-2

6 000 rpm

Prophylaxis






Shank		Shank		
  				
RA		Order N°	DB12-045	-2


6 000 rpm

Prophylaxis



Shank		Shank		
  				
RA		Order N°	DB12-065	-2

6 000 rpm



Polishing instruments

SYNTHETIC RUBBER POLISHERS

Gold, Amalgam and composite

Removing and contouring



Shank

Shank



RA		Order N°	N1L	N1S	N1	N2	N2W	N6			-2
FG		Order N°							N1	N2	-3

Smoothing



Shank

Shank



RA		Order N°	XX1L	XX1S	XX1	XX2	XX2W	XX6			-2
FG		Order N°							XX1	XX2	-3

High gloss polishing



Shank

Shank



RA		Order N°	X1L	X1S	X1	X2	X2W	X6			-2
FG		Order N°							X1	X2	-3

Composite

Smoothing and pre-polishing



Shank								Shank
RA		Order N°	COM7	COM2	COM3	COM6	COM18	-2

Polishing



Shank								Shank
RA		Order N°	COM7F	COM2F	COM3F	COM6F	COM18F	-2

Bracket Remover



Shank					Shank
RA		Order N°	BR3	BR7	-2


5 000 to 7 000 rpm

Polishing instruments

DIAMOND POLISHERS

Ceramic and metal Polishers

Removing and shaping



Shank

Shank



RA		Order N°	6310	6362	6360S	6360	6302-055	6318	6309-120	-2
FG		Order N°		6362						-3

7 000 to 12 000 rpm

Ceramic and metal Polishers

Smoothing



Shank

Shank



RA		Order N°	6210	6262	6260S	6260	6202-055	6218	6209-120	-2
FG		Order N°		6262						-3

7 000 to 12 000 rpm

Ceramic and metal Polishers

High gloss polishing



Shank

Shank



RA		Order N°	6110	6162	6160S	6160	6102-055	6118	6109-120	-2
FG		Order N°		6162						-3

7 000 to 12 000 rpm

All composite materials Polishers

Smoothing and pre-polishing



Shank

Shank



RA	Order N°	5110	5162	5160	5102-055	5118	5107	-2
FG	Order N°		5162					-3

3 000 to 8 000 rpm

All composite materials Polishers

High gloss polishing



Shank

Shank



RA	Order N°	5210	5262	5260	5202-055	5218	5207	-2
FG	Order N°		5262					-3

3 000 to 8 000 rpm

All composite materials Polishers

One-step



Shank

Shank




RA	Order N°	DIA COM2	DIA COM3	DIA COM6	DIA COM7	-2
----	----------	----------	----------	----------	----------	----

5 000 to 7 000 rpm

Lithium Disilicate, Feldspathic Porcelain

Medium



Shank

Shank



RA		Order N°	DIA LI2	DIA LI3	DIA LI6	DIA LI18	-2
----	--	----------	------------	------------	------------	-------------	----

7 000 to 10 000 rpm

Fine



Shank

Shank




RA		Order N°	DIA LI2f	DIA LI3f	DIA LI6f	DIA LI18f	-2
----	--	----------	-------------	-------------	-------------	--------------	----

7 000 to 10 000 rpm

Zirconia, Alumina

Medium



Shank

Shank



RA		Order N°	DIA ZIR2	DIA ZIR3	DIA ZIR6	DIA ZIR18	-2
----	--	----------	-------------	-------------	-------------	--------------	----

7 000 to 10 000 rpm

Fine



Shank

Shank



RA		Order N°	DIA ZIR2f	DIA ZIR3f	DIA ZIR6f	DIA ZIR18f	-2
----	--	----------	--------------	--------------	--------------	---------------	----

7 000 to 10 000 rpm

Polishing instruments

CERAMIC ABRASIVES

Abrasives



Shank

Shank



RA		Order N°	K601-030	K652-027	K661-025	K662-035	-2
FG		Order N°	K601-030	K652-027	K661-025	K662-035	-3

FG 15 000 rpm

RA 7 000 rpm

Polishing instruments

COMPOSITE/CERAMIC ABRASIVES

Arkansas



Shank

Shank



		Shank				
RA		Order N°	ARKI-025	ARKI-031	ARK6-030	-2
FG		Order N°	ARKI-025	ARKI-031	ARK6-030	-3

FG 15 000 rpm

RA 7 000 rpm

Polishing instruments

FLEXIBLE POLISHING DISC



Flexible disc

Pack: 100 pieces

Mandrel: 395-2



Order N°	FD10	8FD10	4FD10	FD10UF
Grit	coarse	medium	fine	super-fine
Sizes (mm)	10 x 0,21	10 x 0,17	10 x 0,14	10 x 0,11

Pack: 100 pieces

Mandrel: 395-2



Order N°	FD14	8FD14	4FD14	FD14UF
Grit	coarse	medium	fine	super-fine
Sizes (mm)	14 x 0,21	14 x 0,17	14 x 0,14	14 x 0,11

Blue = Removing and contouring

Red = Smoothing and pre-polishing

Yellow = Polishing

White = High gloss

7 000 to 10 000 rpm

Starter kit for flexible disc

Pack: 25 pieces of each grit (100 discs)

One mandrel: 395-2



Order N°	Flexi D10	Flexi D14
----------	-----------	-----------

7 000t to 10 000 rpm

Diamond Flexible disc

Pack: 100 pieces

Mandrel: 395-2



Order N°	5FDIA10	3FDIA10	FDIA10	8FDIA10
Grit	very coarse	coarse	medium	fine
Sizes (mm)	10 x 0,21	10 x 0,17	10 x 0,14	10 x 0,11

Pack: 100 pieces

Mandrel: 395-2



Order N°	5FDIA14	3FDIA14	FDIA14	8FDIA14
Grit	very coarse	coarse	medium	fine
Sizes (mm)	14 x 0,21	14 x 0,17	14 x 0,14	14 x 0,11

Black = Removing and contouring

Blue = Smoothing and pre-polishing

Pink = Polishing

Grey = High gloss

7 000 to 10 000 rpm

Starter kit for flexible disc

Pack: 25 pieces of each grit (100 discs)

One mandrel: 395-2



Order N°	Flexi DIA10	Flexi DIA14
----------	-------------	-------------

7 000 to 10 000 rpm

Polishing instruments

DIAMOND STRIPS

Diamond Finishing Strips

Pack: 10 pieces

Non-serrated diamond strip



Order N°	DS	8DS	4DS
L (mm)	147	147	147
Grit	medium	fine	super-fine
Thickness (mm)	0,13	0,10	0,08
Width (mm)	2,5	2,5	2,5

Pack: 10 pieces


Non-serrated diamond strip



Order N°	DSL	8DSL	4DSL
L (mm)	147	147	147
Grit	medium	fine	super-fine
Thickness (mm)	0,13	0,10	0,08
Width (mm)	3,75	3,75	3,75


Pack: 10 pieces

Serrated diamond strip



Order N°	8DSX	4DSX
L (mm)	147	147
Grit	fine	super-fine
Thickness (mm)	0,10	0,08
Width (mm)	3,75	3,75


Instruments sets



Instruments sets


Set/Crown preparation

KITPREPACO




Set/Implant abutments molding

KITRX




Set/Fast, low vibration excavating with clear view

KITC1SXM




Set/Amalgam and gold

KITPOLAMAL




Set/Composite


KITFINCOMPO



KITPOLCOMP




KITDIAGOLD



Set/Lithium disilicate

KITDIALI




Set/Zircone

KITDIAZIR




Set/Veneer

KITFACETTE



Set/Ceramic

KITDIAPOLCER




Set/Corrective work on prothese

KITRETPROTHESE



TABLE OF CONTENTS

Diamond.....	p.06
Gold.....	p.08
Micropreparation.....	p.29
Mini.....	p.31
Rapid Grinder.....	p.33
Turbo Diamonds.....	p.34
Zircona.....	p.35
Carbide.....	p.38
Finishing Instrument.....	p.40
Crown Cutters.....	p.48
Amalgam Remover.....	p.63
Intraoral trimming on titanium.....	p.65
Surgery.....	p.68
Periodontic.....	p.69
Silicone Polishers.....	p.75
Prophylaxis Polishers.....	p.78
Synthetic rubber Polishers.....	p.79
Diamond Polishers.....	p.82
Ceramic Abrasives.....	p.84
Composite/Ceramic Abrasives.....	p.87
Flexible Polishing Discs.....	p.88
Diamond Strips.....	p.89
Crown preparation.....	p.91
Implant abutments molding.....	p.94
Fast, low vibration excavating with clear view.....	p.95
Amalgam and gold.....	p.95
Composite.....	p.96
Lithium disilicate.....	p.97
Zicrone.....	p.97
Veneer.....	p.97
Ceramic.....	p.98
Corrective work on prothese.....	p.98



Rue des Anciens Étangs 42
1190 Bruxelles

Tel: +32 2 343 65 30
Fax: +32 2 346 28 72

info@dumont-instruments.com
www.dumont-instruments.com

Dumont
INSTRUMENTS & CO
Quality since 1978