

TOR VM company was established in Moscow in 1999 to develop and manufacture accessories for anatomical restorations.

Having a leading position on Russian market of dental reconstruction products and considerable export experience, we are looking for new opportunities to offer our products worldwide under our own label or under private labels. We offer high quality products with competitive prices.

Quality management system is in compliance with the requirements of EN ISO 13485:2016. All products are CE marked and FDA registered.



TOR VM trade mark has been registered in the majority of countries who import TOR VM products.

Please turn attention to our new products:



Rubber dam Clamps (page 4):

- clamps with large asymmetrical jaws for tongue retraction (G-1, G-2),
- clamps for premolars and anteriors (W00),
- clamps for upper and lower molars (2AD, 8AD, S-G)



Arc Interproximal System (page 6):

- arc saw blades №№ 1.379T, 1.379HT, 3.384,
- arc diamond strips №№1.379C, 1.379M, 1.379F, 1.379HC, 1.379HM, 1.379HF, 3.385C, 3.385M, 3.385F



Metal Strips (page 32):

- sawing strips № 3.384A,
 - diamond strips №№ 1.150, 1.151, 1.152,
 - diamond perforated strips №№ 2.150, 2.151, 2.152



Strip Holders (pages 6 & 7):

- posterior strip holder № 1.106C for plastic & metal polishing strips,
- arc strip holders №№ 1.106E, 1.106D, 1.369CB for arc saw blades №1.384HT and arc diamond strips №№ 1.379HC, 1.379HM, 1.379HF



Sectional Contoured Metal Double Curve Matrices (page 14):

- small (№ 1.0972DC),
- medium (№ 1.0976DC),
- large (№ 1.0973DC)



Sectional Contoured Metal Titanium Matrices (page 14):

- small (Nº 1.0972T),
- medium (№ 1.0976T),
- large (№ 1.0973T)



Metal Matrix Bands, new forms (page 20):

- subgingival matrix bands № 1.0929, 1.2932
- U-shaped matrix bands №№ 1.1938, 1.1939, 1.1940



Pluggers / Spatulas, Probes (pages 34 - 35)

LIST OF CONTENTS

- 4 RUBBER DAM CLAMPS
- 5 RUBBER DAM ACCESSORIES
- 6 ARC INTERPROXIMAL & PROXICUT SYSTEMS
- 7 STRIP HOLDERS
- 8 METAL CONTOURED MATRICES
- 9 METAL CONTOURED MATRICES COMBINED WITH CLAMP
- 10 SADDLE MATRICES
- 12 PONY METAL CONTOURED MATRICES
- 13 PERFORATED METAL MATRICES
- 14 SECTIONAL CONTOURED DOUBLE CURVE MATRICES (STAINLESS STEEL & TITANIUM SERIES)
- 15 SECTIONAL CONTOURED METAL MATRICES
- 16 ACCESSORIES FOR INSTALLATION OF SECTIONAL MATRICES
- 18 LUG MATRICES
- 18 MATRIX PLIERS
- 19 PROXIMAL ANTERIOR STRIPS & TWIN ANTERIOR MATRICES
- 19 METAL STRIPS & STRIPROLLS. LOOP MATRICES
- 20 METAL MATRIX BANDS
- 20 PLASTIC / METAL COMBINED MATRICES
- 21 FIXING WOODEN WEDGES
- **22** FIXING TRANSPARENT PLASTIC WEDGES
- **22** FIXING NON-TRANSPARENT PLASTIC WEDGES
- **22** ELASTIC WEDGES
- 23 ADD-ON WEDGES AND TUBES
- 23 CONTACT & SHAPE FORMERS
- TRANSPARENT CONTOURED MATRICES
- 25 TRANSPARENT CONTOURED MATRICES COMBINED WITH CLAMP
- 26 SELF-ADHESIVE TRANSPARENT CONTOURED MATRICES
- **26** TRANSPARENT SECTIONAL CONTOURED MATRICES
- **27** TRANSPARENT CROWNS
- TRANSPARENT STRIPS, STRIPROLLS, STOPSTRIPS
- **29** TRANSPARENT CERVICAL MATRIX SYSTEM
- **30** POLISHING DISCS AND MANDRELS
- 31 STEM POLISHING DISCS AND MANDRELS
- **32** POLISHING STRIPS
- 32 METAL DIAMOND STRIPS
- 32 SAWING STRIPS, PERFORATED PROPHYLACTIC METAL STRIPS
- FINISHING AND POLISHING KITS
- 33 COTTON ROLL HOLDER, RETRACTORS
- 34 DENTAL HAND INSTRUMENTS

Rubber Dam Clamps

Brinker Clamps (tissue retractors)







B3







Anterior Clamps











Premolar Clamps

Symmetrical Design


















W2 W2A

Molar Clamps

Symmetrical Design



Left-Right Design



NEW G-2

25

G-2 (right, for 46 & 47 teeth)

138 139 22 23

Clamps **G-1** and **G-2** are intended to hold the patient's tongue laterally from the tooth being treated with a rotary instrument.

Asymmetrical cheeks allow vestibular fixation of gauze or cotton roll to absorb saliva from the oral cavity. Clamps **G-1** and **G-2** are especially recommended when creating a pre-endodontic composite restoration of a badly decayed tooth.

For operating on the last tooth in the arch



(left, for 36 & 37 teeth)





Clamp **2AD** fits on a premolar tooth and extends distally providing rubber dam retraction and comfortable access to the last tooth.

When working on mandibular molars distal bow of clamp **8AD** provides enough distal retraction in the rubber dam allowing to place a tofflemire or saddle retainer (or similar).

Clamp **S-G** is similar to the **2AD** clamp but extends distally from a molar tooth.

Clamps are produced from high-quality stainless steel with perfect shape memory

There are winged and wingless clamps

Brinker clamps provide maximum retraction without laceration of gingival tissues. Shape of «jaws» of Brinker clamps corresponds to the shape of dental root.

Clamp **B4-M** has thinner edges of the working part than clamp **B4**, that provides more free space in gingival area for performing more various manipulations.



All clamps can be supplied in standard and black modification.

Clamps of black modification (black clamps) provide antireflection effect for more convenient work.







for details



To order black clamps add «B» to the catalogue number of the necessary clamp - e.g. **B4-B** or **2-B**.

Operating Positions





WARNING!!!

When operating with clamp:

- open the clamp for necessary width outside the mouth before placing it on a tooth;
- 2) avoid high-speed opening;
- 3) open the clamp for width not more than 1,5 mm exceeding tooth width (undue force may cause clamp premature failure because of metal fatigue):
- fatigue);
 4) fix the clamp with floss to avoid clamp swallowing.

Deciduous Clamps

Left-Right Design



Forceps are produced from highquality stainless steel.

Forceps are convenient in work and provide reliable clamp keeping.

Frame-stopper is moved freely along forceps handles and decreases operating load upon clamp installation.



Pin for clamp mounting has 3 seat diameters providing reliable retention of a clamp without excessive clamp opening.



№ 3.014 Clamps 10 pcs. B4, 0, 2, 2A, 7, 8, 9, 12A, 13A, W56

Nº 3.016 Deciduous Clamps 10 pcs.

54, 55, 64, 65, 74,

75, 84, 85, P-1, P-2



- Submerge instruments in cleaning agent solution with neutral pH for 20 min;
- 2) Rinse the instruments thoroughly
- with purified water for 3-5 min;
 3) Perform standard moist heat / steam sterilization procedure following the sterilizer instructions.



№ 3.017 Clamps 9 pcs. 1, 7, 8, 8A, 9, 14, 201, 202, 212

WARNING!!!

- 1) Do not use cleaning agents with high percentage of chlorine and cleaners containing oxalic acid;
- 2) Do not keep instruments in liquid medium for more than 3 hours.

Rubber Dam Accessories



<u>№ 3.991</u> **Forceps** 1 pc.

№ 3.992 **Forceps** 1 pc.

Nº 3.993 **Forceps** 1 pc.

№ 3.909 Clamp Organizer (for 9 clamps), 1 pc.

Clamp Organizer (for 12 clamps), 1 pc. <u>№ 3.912</u>

Nº 3.401A Deciduous Rubber dam Frame, 96x73 mm, 1 pc.

№ 3.401B Rubber dam Frame, 93x91 mm, with floss retainers, 1 pc.

Nº 3.402B Rubber dam Frame, 110x100 mm, with floss retainers, 1 pc.

Nº 3.403B Rubber dam Frame, 128x125 mm,

with floss retainers, 1 pc.





Retainers on frames №№ 3.401B, 3.402B and 3.403B are intended for floss fixation upon clamp or cofferdam fixation in subgingival space.





Arc Interproximal & Proxicut Systems

Arc interproximal and proxicut systems include:

- arc interproximal saw blades and diamond strips,
- do-all proxicut saw blades and diamond strips,
- proxicut saw blades and diamond strips
- strip holders.

Arc Interproximal System

NEW



for details

3.38* Series



№ 3.384 Arc Saw Blade



1.379H* Series



№ 1.379HT Arc Saw Blade



№ 3.385C

№ 1.379HC Arc Diamond Strip, coarse, 0.150 mm thick, 1 pc.

Arc Diamond Strip, coarse,

0.150 mm thick, 1 pc.



№ 3.385M Arc Diamond Strip, medium, 0.100 mm thick, 1 pc.

№ 1.379HM Arc Diamond Strip, medium, 0.100 mm thick, 1 pc.



№ 3.385F Arc Diamond Strip, fine, 0.070 mm thick, 1 pc



№ 1.379HF Arc Diamond Strip, fine, 0.070 mm thick, 1 pc.

Arc saw blades and diamond strips of 1.379H* series are convenient to be used with arc strip holders №№1.106E, 1.106D & 1.369CB



№ 1.106E NEW

Arc Strip Holder

1 pc.



Arc Strip Holder

Design with screw for tension adjustment



for details



<u>№ 1.369CB</u> *NEW*

Arc Strip Holder

1 pc.

Arc strip holders №1.106E, №1.106D & №1.369CB can be used only with arc saw blades №1.379HT and diamond strips №№1.379HC, 1.379HM and 1.379HF.

1.379* Series (with Holder)



№ 1.379T Arc Saw Blade with Holder,



№ 1.379C

Arc Diamond Strip with Holder, coarse. 0.150 mm thick, 1 pc.



Nº 1.379M Arc Diamond Strip with Holder, medium. 0.100 mm thick, 1 pc.



№ 1.379F Arc Diamond Strip with Holder, 0.070 mm thick, 1 pc.

Arc saw blades and diamond strips with holder №№ 1.379T, 1.379C, 1.379M, 1.379F are comfortable to work on their own. Also they can be applied with handles № №1.107 & 1.109 (kit № 1.379) and Contra Angle 4:1 Orthodontic dental handpiece.



№ 1.379

NEW

Arc Interproximal Kit.

arc saw blade with holder №1.379T	- 1	pc.
arc diamond strip with holder №1.379C	- 1	pc.
arc diamond strip with holder №1.379M	- 1	pc.
arc diamond strip with holder №1.379F	- 1	pc.
handle No 1 100'	- 4	'n-

Do-All Proxicut System



Nº 1.384(1)

Proxicut Saw Blades, type 1, 0.05 mm thick, 12 pcs.



for details



CONTRA

Proxicut Diamond Strips, coarse, type 1, 0.150 mm thick, 12 pcs.



Proxicut Diamond Strips, medium, type 1, 0.100 mm thick, 12 pcs.





Proxicut Diamond Strips, fine, type 1, 0.070 mm thick, 12 pcs.

Handle № 1.107 - operating positions

Arc interproximal & proxicut systems

are intended for removing excess of

filling material from interproximal

areas and tooth separation upon

Arc saw blade with arc strip holder № 1.106E

Operating position

Arc strip holder № 1.369CB assembled with arc diamond strip № 1.379HT

veneer fixation.

Required operating position is provided by rotating of front edge of the handle № 1.107 (7 positions are possible --90°, -60°, -30°, 0°, +30°, +60° and +90° to handle axis)



Handle № 1.109 - operating positions

Required operating position is provided by placing the holder into different holes of the handle **№ 1.109**







№ 1.369 **Do-All Proxicut Holder***

(holder with key)

1 pc.

* Holder can be operated by itself or with handles №№ 1.107, 1.109 or any other handpiece of EVE type providing to-and-fro motion.

№ 1.369KT Do-All Proxicut Kit

holder with key №1.369 - 1 pc., handle № 1.109 - 1 pc.

Kit with handle №1.107 can be supplied on special request

Do-All Proxicut System Nº 1.370

saw blades №1.384(1) - 12 pcs., coarse diamond strips №1.385C1 - 12 pcs., medium diamond strips №1.385M1 - 12 pcs., - 12 pcs., fine diamond strips №1.385F1 holder with key №1.369 1 pc., handle № 1.109 - 1 pc.

Proxicut System









for details





Proxicut Diamond Strips, coarse, type 2, 0,150 mm thick, 12 pcs.





Proxicut Diamond Strips, medium, type 2, 0,100 mm thick, 12 pcs.





Proxicut Diamond Strips, fine, type 2, 0,070 mm thick, 12 pcs.



Nº 1.389

Proxicut Holder 1 pc.

Handles for Proxicut Holders



№ 1.107 Handle, 1 pc.

Nº 1.109 Handle, 1 pc.

Strip Holders

Strip holders are applied with saw blades №1.384(1), diamond strips №№1.385C1, 1.385C2, 1.385M1, 1.385M2, 1.385F1, 1.385F2, 1.150 - 1.152, 2.150 - 2.152 and polishing strips №№1.050 - 1.052.











Double slot system allows to fixate both metal and plastic strips with abrasive and/or smooth surfaces





Nº 1.106 Posterior Strip Holder, 1 pc.



for details

Nº 1.106C Posterior Strip Holder, 1 pc. NEW

Design with screw for tension adjustment



for details

How to operate do-all proxicut system holder № 1.369 & blade (strip)

1) Rotate screw handle **1** to move legs of the holder so that the distance between outer sides of holder legs becomes equal to the length of the blade (strip)



2) Insert the blade (strip) in gripes $\bf 2$ of the holder legs and tighten gripes with key $\bf 3$



3) Rotate screw handle 1 to tighten the blade(strip) between holder legs



4) Insert firmly pin 4 of the holder in a handle №1.107, №1.109 or any other handpiece of EVE type providing to-and-fro motion if necessary

How to operate proxicut system holder № 1.389 & strip № 1.385C2

Insert finger at leg 1 of the holder into the hole of strip (blade) 4, bend strip 4 around leg 1 providing the finger being in the hole of the strip 4



Bend strip 4 around leg 2 of the holder, put hole of strip 4 on the finger of leg 2 of the holder



Rotate screw handle 3 of the holder to tighten up the strip 4 between legs 1 and 2 of the holder



Scheme of strip fixation in strip holders №№ 1.105, 1.106





Strip fixation in holder № 1.105



Strip fixation in holder № 1.106



Metal Contoured Matrices

All matrices are available of two thicknesses 0.050 mm and 0.035 mm. When ordering please specify the necessary type, e.g. №1.501(0.035 mm) or №1.517(0.050 mm).



For Premolars

№ 1.501 Matrices for Premolars without ledge, matrix width 5 mm 12 pcs.

№ 1.502 Matrices for Premolars bilateral 12 pcs.

№ 1.506 Matrices for Premolars bilateral 12 pcs.

.503 Matrices for Premolars left ledge 12 pcs.

1.504 Matrices for Premolars right ledge 12 pcs.

№ 1.505 Matrices for Premolars one central ledge 12 pcs.

For Molars



№ 1.511 Matrices for Molars without ledge. matrix width 7 mm 12 pcs.

№ 1.517 Matrices for Molars without ledge. matrix width 6 mm 12 pcs.

Nº 1.512 Matrices for Molars bilateral 12 pcs.




- Anatomically pre-shapedSix shapes for molars and
- premolars
 Provide perfect approximal form and contact Stainless steel

for details





with Nustrem retainer



Matrices can be installed with

Tofflemire or Nustrem retainer



Supermat system



Slot ring (page 9)



Slot springclip (page 9)



№ 1.513 Matrices for Molars left ledge 12 pcs.

Nº 1.514 **Matrices for Molars** right ledge 12 pcs.

№ 1.515 Matrices for Molars one central ledge 12 pcs.

Matrices №№ 1.501, 1.505, 1.506, 1.511, 1.515, 1.517 are mainly to be used with Tofflemire retainer.

In some cases to fit Supermat system the matrix edges should be shortened.



№ 1.500+ Metal Contoured **Matrices for Premolars**

30 pcs.:

Nº 1.501 6 pcs.

Nº 1.502 6 pcs.

Nº 1.503 6 pcs.

Nº 1.504 6 pcs.

№ 1.505 6 pcs.



№ 1.510+ Metal Contoured **Matrices for Molars**

30 pcs.:

№ 1.511 6 pcs.

№ 1.512 6 pcs.

Nº 1.513 6 pcs.

№ 1.514 6 pcs. Nº 1.515 6 pcs.

Metal Contoured Matrices Combined with Clamp

All matrices are 0.035 mm thick.



For Premolars





one central ledge
10 pcs.



Matrices for Premolars bilateral 10 pcs.



Matrices for Premolars left ledge 10 pcs.



Matrices for Premolars right ledge 10 pcs.



Matrices for Premolars without ledge 10 pcs.



Matrices for Premolars left ledge + right ledge 10 pcs. (5 pcs. + 5 pcs.)



№ 1.540

Metal Contoured Matrices Combined with Clamp for Premolars

16 pcs.:

№ 1.541 3 pcs.
№ 1.542 3 pcs.
№ 1.543 3 pcs.
№ 1.544 3 pcs.
№ 1.544 4 pcs.



For Molars

<u>№ 1.551</u>

Matrices for Molars one central ledge 10 pcs.



Matrices for Molars bilateral 10 pcs.



Matrices for Molars left ledge 10 pcs.



Matrices for Molars right ledge 10 pcs.



Matrices for Molars without ledge 10 pcs.



Matrices for Molars left ledge + right ledge 10 pcs. (5 pcs. + 5 pcs.)



<u>№ 1.550</u>

Metal Contoured Matrices Combined with Clamp for Molars

16 pcs.:

№ 1.551 3 pcs. № 1.552 3 pcs. № 1.553 3 pcs. № 1.554 3 pcs. № 1.555 4 pcs.





Metal Contoured Matrices Combined with Clamp for Premolars & Molars

without ledge 10 pcs. (5 pcs. for premolars & 5 pcs. for molars)

- Three dimensional anatomic shape

- The ideal approximal contact

- Tight fitting within a few seconds - Five shapes of premolar & five shapes of

molar matrices
- Stainless steel



for details

No matrix retainer required

How to operate


Install matrix on tooth and press metal clamp



Ready for restoration



Matrix assembled with fixing wedges and rings №1.099 (page 17)



Operating position



Saddle Matrices

Edges of saddle matrices are performed as cylinder-shape tubes where tines of ring or springclip are inserted upon matrix installation.

Saddle Matrices (Flat)



All matrices are available of three shapes and two thicknesses (0.050 mm and 0.035 mm). Please specify the necessary type, for example if you need small saddle matrices of shape 2 and thickness 0.035 mm order please - №1.301(2)(0.035 mm).

MATRICES LANGE	Small Matrices 12 pcs. per box	Medium Matrices 12 pcs. per box	Large Matrices 12 pcs. per box
Standard shape	Nº 1.301(1)	Nº 1.302(1)	№ 1.303(1)
Shape with flexible central part*	<u>№ 1.301(2)</u>	<u>№ 1.302(2)</u>	№ 1.303(2)
Shape with enlarged undergingiva ledge	Nº 1.301(3)	Nº 1.302(3)	Nº 1.303(3)

^{*} Width of matrix band between central part and edges of matrices of shape 2 is lower compared to shape 1 matrices, that makes central part of shape 2 matrix more labile.

Saddle Contoured Matrices



All matrices are available of three shapes and two thicknesses (0.050 mm and 0.035 mm). Please specify the necessary type for example if you need medium saddle contoured matrices of shape

33 A	1 and thickness 0.050 mm order please - <u>№1.312(1)(0.050 mm)</u> .						
TABLE CONTRACTOR TO THE TABLE	Small Matrices 12 pcs. per box	Medium Matrices 12 pcs. per box	Large Matrices 12 pcs. per box				
Standard shape	Nº 1.311(1)	<u>№ 1.312(1)</u>	<u>№ 1.313(1)</u>				
Shape with flexible central part*	Nº 1.311(2)	Nº 1.312(2)	Nº 1.313(2)				
Shape with enlarged undergingiva ledge	Nº 1.311(3)	Nº 1.312(3)	<u>№</u> 1.313(3)				

^{*} Width of matrix band between central part and edges of matrices of shape 2 is lower compared to shape 1 matrices, that makes central part of shape 2 matrix more labile.

- Easy-to-use matrix system
- Optimal approximal contact without difficulties
- Three lengths
- Stainless steel



for details

Important!

To provide perfect contact choose appropriate matrix length







Saddle matrices operating positions

Springclip № 1.003



Ring № 1.033



Ring № 1.033 simultaneous restoration of 2 teeth



Springclip № 1.005









Nº 1.310 **Saddle Metal Matrices**

Kit with Springclip 18 pcs.: matrices Nº 1.311(1) 6 pcs. № 1.312(1) 6 pcs. № 1.313(1) 6 pcs. springclip № 1.003

Nº 1.320 **Saddle Metal Matrices**

Kit with Ring matrices 18 pcs.: Nº 1.311(1) 6 pcs. Nº 1.312(1) Nº 1.313(1) 6 pcs. 6 pcs. ring № 1.033 1 pc.

Nº 1.330 Saddle Metal Matrices **Universal Kit**

matrices 36 pcs. Nº 1.301(1) 3 pcs. Nº 1.302(1) 3 pcs. Nº 1.303(1) 3 pcs. Nº 1.311(1) 6 pcs. № 1.312(1) 6 pcs. № 1.313(1) 6 pcs. Nº 1.311(2) Nº 1.312(2) 3 pcs. 3 pcs. Nº 1.313(2) 3 pcs. springclip Nº 1.003 1 pc.

> **Tines** of

rings

springclips

narrowed

&

are

Accessories for Installation of Saddle Matrices







Nº 1.033 Ring 1 pc.

Nº 1.033c Ring with Silicone Safety Cover*

1 pc.

*Dry-heat sterilization

Nº 1.033A Ring 1 pc.

Ring № 1.033A has the same construction of tines as standard ring № 1.033 for saddle matrices. Addition of extra loop on the ring makes it more flexible and allows to operate in wider range of openings without increase of residual distance between tines after use.







Nº 1.005 Springclip

large 1 pc.

More tight than № 1.003

Installation of saddle matrix with springclip № 1.003

Insert tines of springclip outside the patient mouth into the matrix side tubes



2. Press springclip holders with matrix and install matrix onto the tooth



Matrices can be installed on distal and on mesial tooth surface



Installation of saddle matrix with ring № 1.033

Insert tines of the ring into the matrix side tubes



2. Open the ring assembled with saddle matrix via forceps № 1.099-1 (page 16) or via standard rubber dam clamp forceps and install matrix onto the tooth



WARNING!!!

When operating with ring:

1) make sure of integrity of the ring and absence of rust on it;

2) avoid high-speed opening;

3) open the ring for width not more than 10 - 12 mm;

4) open the ring for necessary width outside the mouth before placing it on a tooth.

When sterilizing:

1) Do not use cleaning agents with high percentage of chlorine and cleaners containing oxalic acid;

2) Do not keep instruments in liquid

medium for more than 3 hours.

Pony Metal Contoured Matrices

All matrices are available of two thicknesses 0.050 mm and 0.035 mm. When ordering please specify the necessary type, e.g. №1.341(0.035 mm).















Nº 1.341 Pony Matrices. Small with Ledge

Pony Matrices. Small Nº 1.342 12 pcs.

Nº 1.343 Pony Matrices. Large 12 pcs.

Nº 1.344 Pony Matrices. Large with Ledge 12 pcs.



Pony Matrices. Kit with Slot Springclip Nº 1.340 matrices 24 pcs.:

№ 1.341 № 1.342 № 1.343 № 1.344 6 pcs. 6 pcs. 6 pcs. 6 pcs. slot springclip № 1.004 1 pc.



Nº 1.350 **Pony Matrices**. Kit with Slot Ring matrices 24 pcs.:

№ 1.341 № 1.342 6 pcs. № 1.343 № 1.344 6 pcs. 6 pcs. slot ring № 1.044 1 pc.

Accessories for Installation of Pony Matrices

Slot springclip and Slot ring can be used for fixation of any matrix of appropriate length (e.g. metal contoured matrices - page 8 of the Catalogue) or matrix bands (page 20). When fixing matrices different from Pony matrices, please, be sure that the width of matrix wings is less than slot height, cut the wings to fit slot height if necessary.



Nº 1.004

Slot Springclip 1 pc.













Operating scheme



- Anatomically pre-shapedProvide perfect approximal form and
- Have intermediate length between contoured matrices (see page 8) and sectional matrices (page 14)
- Stainless steel

Installation with Slot ring



Open the ring with matrix via forceps №1.099-1 (page 16) or via standard rubber dam forceps and insert matrix into the slots of ring № 1.044



Install the system onto the tooth



Mesial surface restoration

- WARNING!!!
 When operating with ring:
 1) make sure of integrity of the ring and absence of rust on it;
- 2) avoid high-speed opening; 3) open the ring for width not more than 10-12 mm;
- 4) open the ring for necessary width outside the mouth before placing it on a tooth.

- When sterilizing:

 1) Do not use cleaning agents with high percentage of chlorine and cleaners
- containing oxalic acid;
 2) Do not keep instruments in liquid medium for more than 3 hours.

Installation with Slot springclip



Insert matrix into the slots of springclip (standard catching is shown)



Fix the matrix loop length and install the system onto the tooth



Distal surface restoration



Mesial surface restoration

Perforated Metal Matrices

Thickness 0.05 mm

Perforated Metal Matrices (Flat)



Perforated Contoured Metal Matrices



Accessories for Installation of Perforated Matrices



№ 1.022 Ring 1 pc.

№ 1.002 Springclip 1 pc.



Tines of ring & springclip are pointed

Perforated matrices Installation modes

Ivory retainer



Ring Nº 1.022



Springclip № 1.002



WARNING!!!

When operating with ring:

- 1) make sure of integrity of the ring and absence of rust on it;
- 2) avoid high-speed opening;
- 3) open the ring for width not more than 10 12 mm;
- 4) open the ring for necessary width outside the mouth before placing it on a tooth.

When sterilizing:

- Do not use cleaning agents with high percentage of chlorine and cleaners containing oxalic acid;
- 2) Do not keep instruments in liquid medium for more than 3 hours.

Sectional Contoured Metal Double Curve Matrices

Stainless Steel Series NEW

Available in 2 thicknesses - 0.035 mm and 0.050 mm





№ 1.0972DC

Sectional Contoured Metal Double Curve Matrices Small,

10 pcs.





№ 1.0976DC

OC Sectional Contoured Metal Double Curve Matrices Medium,

10 pcs.





№ 1.0973DC

Sectional Contoured Metal Double Curve Matrices Large,

10 pcs.



№ 1.098DC

Sectional Contoured Metal Double Curve Matrices,

30 pcs.:

№ 1.0972DC - 10 pcs. № 1.0973DC - 10 pcs. № 1.0976DC - 10 pcs.



NEW

Color-coded. Superthin (0.030 mm)





№ 1.0972T

Sectional Contoured Metal

Matrices, Titanium, Small,

10 pcs.





№ 1.0976T

Sectional Contoured Metal

Matrices, Titanium, Medium, 10 pcs.





№ 1.0973T

Sectional Contoured Metal

Matrices, Titanium, Large, 10 pcs.



№ 1.098T

Sectional Contoured Metal Matrices,

Titanium, 30 pcs.:

№ 1.0972T - 10 pcs. № 1.0973T - 10 pcs. № 1.0976T - 10 pcs.

Standard Sectional Matrix





Double Curve Sectional Matrix





Sectional titanium matrices are characterized by higher lasting quality.

They are more convenient in work due to low glare effect.

Sectional Contoured Metal Matrices

All matrices are available of 4 types: All matrices are available of ±types.
0.050 mm, hard; 0.035 mm, soft; 0.035 mm, soft.
Please specify the necessary type, e.g. № 1.098(0.050 mm, soft).

There are two variants of kiting of matrices of one shape - per 10 or per 50 pcs. When ordering kit with matrices of one shape specify please the necessary kiting variant and matrix type, e.g. N = 1.0971(10) (0.035 mm, hard) or N = 1.0976(50) (0.050 mm, soft).



for details





Sectional Contoured Matrices. Small with Ledge

Nº 1.0971(10) 10 pcs. <u>№ 1.0971(50)</u> 50 pcs.





Sectional Contoured Matrices. Small

<u>№ 1.0972(10)</u> 10 pcs. Nº 1.0972(50) 50 pcs.





Sectional Contoured Matrices. Large

<u>№ 1.0973(10)</u> 10 pcs. Nº 1.0973(50) 50 pcs.





Sectional Contoured Matrices. Large with Ledge

Nº 1.0974(10) 10 pcs. **№ 1.0974(50)** 50 pcs.





Sectional Contoured Matrices. Medium with Ledge

Nº 1.0975(10) 10 pcs. Nº 1.0975(50) 50 pcs.





Sectional Contoured Matrices. Medium

Nº 1.0976(10) 10 pcs. Nº 1.0976(50) 50 pcs.











Kit of Small Matrices <u>№ 1.1972</u>

4 types 30 pcs.:

№ 1.0972(0.050 mm, hard) 10 pcs. № 1.0972(0.035 mm, hard) № 1.0972(0.050 mm, soft) 10 pcs. 5 pcs. № 1.0972(0.035 mm, soft) 5 pcs.

Nº 1.1976 **Kit of Medium Matrices**

4 types 30 pcs.:

№ 1.0976(0.050 mm, hard) 10 pcs. № 1.0976(0.035 mm, hard) 10 pcs. № 1.0976(0.050 mm, soft) 5 pcs. № 1.0976(0.035 mm, soft) 5 pcs.

Nº 1.1973 **Kit of Large Matrices** 4 types

30 pcs.:

№ 1.0973(0.050 mm, hard) 10 pcs. № 1.0973(0.035 mm, hard) 10 pcs. № 1.0973(0.050 mm, soft) 5 pcs. № 1.0973(0.035 mm, soft) 5 pcs.

- Anatomically pre-shapedProvide tight anatomical contact
- Stainless steel

Matrices of 0.035 mm thickness are more effective for restoration of small

Matrices of 0.05 mm thickness are intended for restoration of large decays in subgingival area. Such matrices retain the shape well.

Kits <u>№№ 1.1972</u>, <u>1.1973, 1.1976</u> are intended for advanced users of sectional systems or for dentists who desire to test the difference between hard and soft matrices.

Hard matrices are easy to install.

Soft matrices are easily adapted for contact point formation.

Clinical case







Operating positions















<u>№ 1.198</u> **Starting Kit of Sectional Contoured Matrices**

matrices 30 pcs.:

№1.0971 - 3 pcs., №1.0972 - 10 pcs., №1.0973 - 5 pcs., №1.0974 - 3 pcs., №1.0975 - 4 pcs., №1.0976 - 5 pcs., ring №1.099(5) - 1 pc.

<u>№ 1.298</u> **Advanced Kit of Sectional Contoured Matrices**

matrices 50 pcs.:

Nº1.0971 - 5 pcs., №1.0972 - 15 pcs., №1.0973 - 10 pcs., №1.0974 - 5 pcs., №1.0975 - 5 pcs., №1.0976 - 10 pcs., ring №1.099(5) - 1 pc.

Universal Kit of Sectional Contoured Matrices Nº 1.398

matrices 100 pcs.:

№1.0971 - 10pcs., №1.0972 - 20pcs., №1.0973 - 20pcs., №1.0974 - 10pcs., №1.0975 - 10pcs., №1.0976 - 30pcs., ring №1.099(5) - 1 pc., Delta ring №1.299 - 1 pc.

№ 1.498 **Universal Kit of Sectional Contoured Matrices**

matrices 100 pcs.:

№1.0971 - 10pcs., №1.0972 - 20pcs., №1.0973 - 20pcs., №1.0974 - 10pcs., №1.0975 - 10pcs., №1.0976 - 30pcs., MD ring №1.167 - 1 pc., Delta ring №1.299 - 1 pc., add-on wedges №1.861 - 20pcs.

Installation with ring

Install matrix (preferably wide side down to gingiva) and wedge



Open the ring using forceps



Put the ring on the tooth and perform restoration



The matrix can be installed on mesial (see above) and on distal surface (see below)



Installation with springclip

Accessories for Installation of Sectional Matrices




Nº 1.009 **Springclip** 1 pc.





tines of forceps 1.099-1





forceps 1.099-2






tines of forceps 1.099-3



Forceps № 1.099-2 have special stoppers, that allows to use them also for installation of Elastic wedges (page 22).





Scheme on tooth

WARNING!!!
When operating with ring:

1) make sure of integrity of the ring and absence of rust on it;
2) avoid high-speed opening;
3) open the ring for width not more than 10-12 mm;
4) open the ring for necessary width outside the mouth before placing it on a tooth.

When sterilizing:
1) do not use cleaning agents with high percentage of chlorine and cleaners containing oxalic acid;
2) do not keep instruments in liquid medium for more than 3 hours.

Accessories for Installation of Sectional Matrices

Rings



Standard Ring, Nº 1.099(5) tines height - 5 mm, 1 pc.

Low Ring, tines height - 4 mm, Nº 1.099(4) 1 pc.

High Ring, tines height - 6 mm, <u>№ 1.099(6)</u>



 N_{\odot} 1.099(5) - 1 pc. N_{\odot} 1.099(4) - 1 pc. N_{\odot} 1.099(6) - 1 pc.



Ring, Nº 1.099A

tines height - 5 mm, 1 pc.

Ring № 1.099A has the same construction of tines as rings № 1.099 for sectional matrices. Addition of extra loop on the ring makes it more flexible and allows to operate in wider range of openings without increase of residual distance between tines after use.



Standard Ring with Silicone Safety Cover* <u>№ 1.099c</u>

tines height - 5 mm, 1 pc.

*Dry-heat sterilization



Nº 1.199 Flat Ring,

1 pc.




Tines of ring № 1.099

WARNING!!!



Scheme on tooth





№ 1.299 Delta Ring,

1 pc.

Double tines of Delta ring are suitable for installation of fixing wedges and add-on wedges (page 23)



<u>№ 1.299c</u> Delta Ring,

1 pc.

Projections (lugs) of ring № 1.299c prevents tongue penetration into working area





Scheme on tooth





MD-Ring, <u>№ 1.167</u>

1 pc.

Tines of MD-ring provide the most nonfluctuating placement with sufficient space for wedge



<u>№ 1.167c</u> MD-Ring,

1 pc.

Projections (lugs) of ring № 1.167c prevents tongue penètration into working area





Scheme on tooth





Nº 1.166 D-Ring,

1 pc.

Tines of D-ring are curved inwards to fix matrix on distal side of the tooth



M-Ring, **№** 1.177

1 pc.

Tines of M-ring are curved out to fix matrix on mesial side of the tooth


Tines of ring № 1.166




Tines of ring № 1.177



Scheme on tooth




Scheme on tooth



Clinical cases with rings with different length of tines







Ring № 1.199



Delta Ring № 1.299



Clinical cases with MD ring (Nº 1.167)









Lug Matrices

Lugs allow to tighten matrix to adjacent tooth in any of three directions.

All matrices are available in two thicknesses - 0.035 mm and 0.050 mm.



September 1		<u>№ 1.351</u>	Lug Matrices, Small with Ledge 4.5 mm, 12 pcs.
WATERS AND		<u>№ 1.352</u>	Lug Matrices, Medium with Ledge 5.5 mm, 12 pcs.
0 Ba 8		<u>№ 1.353</u>	Lug Matrices, Large with Ledge 6.5 mm, 12 pcs.
MATERIAL TO		<u>№ 1.353L</u>	Lug Matrices, Large with Ledge 7.6 mm, 12 pcs.
E-22 0F at 11 248		<u>№ 2.351</u>	Lug Matrices, Small 4.0 mm, 12 pcs.
104		<u>№ 2.352</u>	Lug Matrices, Medium 5.1 mm, 12 pcs.
WB NATHRES SECTION	0	<u>№ 2.353</u>	Lug Matrices, Large 6.0 mm, 12 pcs.



- Stainless steel

Operating Positions



Lug matrices provide more complete tooth engagement than sectional matrices.



Nº 1.338 **Lug Matrices**

> matrices 18 pcs.: №2.351- 5 pcs., №2.352 - 5 pcs., №2.353 - 5 pcs., №1.353L - 3 pcs.,

MD ring №1.167 - 1 pc.



Nº 1.348 **Lug Matrices**

matrices 18 pcs.: №1.351 - 6 pcs, №1.352 - 6 pcs., №1.353 - 6 pcs.,

MD ring №1.167 - 1 pc.



Nº 1.368 **Lug Matrices**


matrices 30 pcs.: №1.351 - 4 pcs., №1.352 - 5 pcs, №1.353 - 4 pcs., №1.353L - 4 pcs, №2.351- 5 pcs., №2.352 - 4 pcs., №2.353 - 4 pcs, MD ring №1.167 - 1 pc.

Lugs allow to tighten matrix to adjacent tooth.



Holes in matrix edge provide more reliable matrix handling upon installation and extraction.

Matrix Pliers



Linear Matrix Plier (L-Plier) 1 pc.

Cross Matrix Plier (C-Plier) 1 pc.

Matrix pliers. Operating positions



Linear matrix plier № 1.154



Cross matrix plier № 1.164

Proximal Anterior Strips & Twin Anterior Matrices Proximal Anterior Strips

Proximal anterior strips can be used upon restoration of proximal surfaces of anteriors. Available thickness - 0.050 mm. Proximal anterior strips 0.035 mm thick can be supplied on special request.





Nº 1.387A Proximal Anterior Strips Small, 12 pcs.

Nº 1.387 Proximal Anterior Strips Medium, 12 pcs.

Nº 1.388 Proximal Anterior Strips Large, 12 pcs.

Twin Anterior Matrices

Twin anterior matrices provide perfect restoration of both interproximal and cervical surfaces of anteriors. Twin anterior matrices are available in two thicknesses - 0.035 mm and 0.050 mm.





Nº 1.523 Twin Anterior Matrices 12 pcs.

Nº 1.533 Twin Anterior Matrices 12 pcs.



Nº 1.888 Anterior Matrices & Strips 30 pcs.

№ 1.387A - 6 pcs. № 1.387 - 6 pcs. № 1.388 - 6 pcs. № 1.523 - 6 pcs. № 1.533 - 6 pcs.



for details

Metal Strips

Metal strips are recommended to be used as protective plates of adjacent teeth from accidental bur contact.



<u>№ 1.382</u> Metal Strips 0.06 mm thick, 6 mm wide, 50 mm long, 100 pcs.

<u>№ 1.383</u> Metal Strips 0.09 mm thick, 6 mm wide, 50 mm long, 100 pcs.

Metal Striprolls

All striprolls are available in two thicknesses - 0,035 mm and 0,050 mm.



No 1.390 Striproll 6 mm wide, 3 m in length (round box 32 mm)

<u>№ 1.391</u> Striproll 7 mm wide,

3 m in length (round box 32 mm)

№ 1.392 Striproll 6 mm wide,

3 m in length (squared box 50x50 mm)

Nº 1.393 Striproll 7 mm wide,

3 m in length (squared box 50x50 mm)

Striprolls of alternative lengths and widths can be supplied upon special request.

Loop Matrices

Construction of loop matrices provides simplicity of loop length regulation in accordance to tooth size.

Loop matrices are installed without retainer. Mainly to be used for protection of adjacent tooth against bur upon cavity preparation.





Nº 1.595 Loop Matrices,

height 5 mm, 6 pcs.

№ 1.597

Loop Matrices, height 7 mm, 6 pcs.

Proximal anterior strips: operating position



It is recommended to install anterior strip vertically and then press the handhold of the strip forcing its working part to the adjacent tooth.

Proximal anterior strips: clinical cases





Twin anterior matrices: operating position

matrix № 1.523



matrix № 1.533



Loop matrix: how to operate

Regulate the loop size corresponding to the tooth size





Install loop matrix onto the tooth and tighten matrix end up to complete embracing of the tooth



Metal Matrix Bands



Sub-Gingival Matrix Bands (scale 1:2) NEW



№ 1.0929 thickness 0.050 mm, 12 pcs.

<u>№ 1.2932</u> thickness 0.050 mm, 12 pcs.

U Matrix Bands (scale 1:2) NEW



№ 1.1938 Standard U-Band thickness 0.050 mm, 12 pcs.

<u>№ 1.1939</u> Wide U-Band thickness 0.050 mm, 12 pcs.

№ 1.1940 Curved U-Band thickness 0.050 mm, 12 pcs.

For Premolars* (scale 1:2)





№ 1.0930 12 pcs.

<u>№ 1.0932</u> 12 pcs.

<u>№ 1.0933</u> 12 pcs.

№ 1.0935 12 pcs.

For Molars* (scale 1:2)





<u>№ 1.0931</u> 12 pcs.

<u>№ 1.1937</u> 12 pcs.

№ 1.1932 12 pcs.

<u>№ 1.1933</u> 12 pcs.

№ 1.1935 12 pcs.

*Matrices for premolars (№№ 1.0930-1.0935) & molars (№№ 1.0931-1.1937) are available in two thicknesses 0.050 mm and 0.035 mm. Please specify the necessary type, e.g. № 1.0931(0.035 mm).



№ 1.380 Matrix Bands 6 mm wide

100 mm in length, thickness 0.035 mm, 12 pcs.

№ 1.381 Matrix Bands 7 mm wide

100 mm in length, thickness 0.035 mm, 12 pcs.

Plastic-Metal Combined Matrix Bands



For Premolars (scale 1:2)



Nº 1.034 12 pcs.

For Molars (scale 1:2)



№ 1.134 12 pcs.

Matrices №№ 1.0929, 1.1938-1.1940 & 1.2932 are specifically designed to be engaged in subgingival margins.

Matrices № 1.0929 provide deep margin elevation. Matrix intense curvature allows convergence and a tight subgingival fit. Reduced height of the band allows matrix to slide below the equator or maximum bulbsoity of the tooth for better subgingival seal.

Matrices №№ 1.2932 & 1.1938-1.1940 are made to fit into a Tofflemire retainer.

The curved design of the matrices allows them to be engaged in more subgingival margins with a steeper emergence profile.

Matrices №№ 1.1938-1.1940 are primarily for very broken down teeth and can be used creatively in many clinical situations. Users should be aware that the bands can be difficult to seat on fully intact teeth.

Width of matrix working part

№ 1.0930 - 5 mm № 1.1937 - 6 mm № 1.0931 - 7 mm

Matrices are installed by the same methods as metal contoured matrices (page 8)







Half metal / half plastic.

Metal part simplifies matrix penetration through a tight contact point.

Wooden Wedges





<u>№ 1.181</u> **Wooden Wedges**

superthin, short (orange) 100 pcs.



Nº 1.182 **Wooden Wedges** thin, short (white)

100 pcs.





<u>№ 1.183</u> **Wooden Wedges**

thin, short (green) 100 pcs.





Nº 1.184 **Wooden Wedges**

thin, long (yellow) 100 pcs.





Nº 1.185 **Wooden Wedges**

medium, short (blue) 100 pcs.





<u>№ 1.186</u>

Wooden Wedges medium, long (pink) 100 pcs.





<u>№ 1.187</u>

Wooden Wedges thick, long (violet) 100 pcs.



Nº 1.080

Wooden Wedges. 2 Types

100 pcs. white (thin, short) 50 pcs. blue (medium, long) 50 pcs.

> 50 pcs. 50 pcs.

50 pcs.

50 pcs.





Wooden Wedges. 4 Types

200 pcs. white (thin, short) yellow (thin, long) blue (medium, short)

pink (medium, long)



Nº 1.085

Wooden Wedges.

6 Types 400 pcs. orange (superthin, short) 100 pcs. white (thin, short) 100 pcs. yellow (thin, long) 50 pcs. blue (medium, short) 50 pcs. pink (medium, long) 50 pcs. violet (thick, long) 50 pcs.





Made of maple wood

Operating positions















Triangle Wooden Wedges



№ 1.281(2) Triangle Wooden Wedges

size 13x1.7x2.7 mm, 100 pcs.

Sizes available upon request:

Transparent Plastic Wedges

- Two thicknesses available
- Heat treatment up to 120°C



№ 1.811 Transparent Wedges,

Thin 40 pcs.

№ 1.812 Transparent Wedges,

Medium 40 pcs.

№ 1.810

Transparent Wedges,

2 types 40 pcs.

thin wedges 25 pcs. medium wedges 15 pcs.



Nº 1.820

Transparent Wedges,

2 types 80 pcs.

thin wedges 50 pcs. medium wedges 30 pcs.



Non-Transparent Plastic Wedges

- Two thicknesses available
- Heat treatment up to 120°C



Non-Transparent Wedges.

Thin 40 pcs.

№ 1.842 Non-Transparent Wedges.

Medium 40 pcs.

Non-Transparent Wedges.

2 types 80 pcs.

thin wedges 50 pcs. medium wedges 30 pcs.



- Special silicone rubber
- Two thicknesses: 2.5 mm (blue) and 2.0 (yellow)
- Heat treatment up to 150°C



№ 1.801 Elastic Wedges

2.5 mm thick 10 pcs.

<u>№ 1.802</u>

Elastic Wedges

2.0 mm thick 10 pcs.

Nº 1.808


Elastic Wedges of 2 types

40 pcs.:

№ 1.801 20 pcs. **№ 1.802** 20 pcs.









Made of transparent soft plastic





Anatomically shaped



Made of soft plastic



Elastic wedges can be used as fixing wedges and also as a cord upon working with Cofferdam system.



Forceps № 1.099-2 with special stoppers (page 16) are preferable for installation.





Add-On Wedges and Tubes

- Special silicone rubber
- Heat treatment up to 150°C





Add-On Fixing Wedges 40 pcs.





Nº 1.866

Add-On Fixing Wedges

40 pcs.

Add-On Fixing Tubes № 1.862 40 pcs.:

wide (transparent) 20 pcs. narrow (white) 20 pcs.








Nº 1.870 **Fixing Kit Delta**

- Delta ring № 1.299 1 pc.
- add-on fixing wedges № 1.861 20 pcs.
- add-on fixing wedges № 1.866 20 pcs.

Contact & Shape Formers

Contact formers are produced from high-quality stainless steel. Handles are made of titanium alloy making the instruments lighter and more comfortable in work.



Nº 1.1901 Contact Former 1 pc.

№ 1.1902 Contact Former 1 pc.

Nº 1.1904 Contact Former 1 pc.

Edge A of contact formers № 1.1901 & № 1.1902 is to be used for matrix adaptation on distal tooth surface, edge B is used upon restoration of mesial surface.



Nº 1.943

Contact Former 1 pc.



Nº 1.100

Handle 1 pc.

Nº 1.100T Handle, titanium 1 pc.

Handles №№ 1.100 & 1.100T are also mirror compatible (thread M2.5).



Nº 1.863

Shape-Former Caps

10 pcs.

Nº 1.867

Shape-Former Caps 10 pcs.

Nº 1.868

Shape-Former Caps 10 pcs.

Nº 1.965

Contact & Shape Former



- contact former № 1.943 1 pc.
- handle № 1.100 1 pc.
- shape-former caps № 1.863 10 pcs.
- shape-former caps № 1.867 10 pcs. - shape-former caps № 1.868 - 10 pcs.

Add-on fixing wedges №№ 1.861, 1.866 and tubes № 1.862 provide perfect matrixtooth contact along the tooth height.

FIXING WEDGES





Tines of fixing rings or springclips are inserted into the holes of the add-on wedges and tubes.




Delta ring №1.299 with double tines is the most suitable for installation of add-on wedges.

When restoring large cavities add-on wedges № 1.866 and tubes № 1.862 are preferable.



Add-on tubes №1.862 provide matrix fixation far from contact point.

Contact former №1.943 operating mode



- 1) After adhesion treatment apply fluid composite (0,3-0,5 mm layer) on all the sides of treated cavity except the gingival one, perform photopolymerization.
- 2) Out of the patient mouth prepare "globul" from standard composite (size of the "globul" should be a bit smaller than treated cavity), perform its photopolymerization.
- 3) On gingiva side of the cavity apply first thin layer of fluid composite and then standard composite. Don't perform photopolymerization!
- 4) Place the "globul" into the cavity and press it with contact former providing matrix close tightness to neighbour tooth in the contact point. Keep on pressing the "globul" perform photopolymerization. After it remove contact former and report photopolymerization cape and present photopolymerization cape are present. repeat photopolymerization once more.
 5) Perform tooth restoration.
- 6) Remove fixing ring, bend back matrix and perform composite photopolymerization in gingival area with light directed from facial and lingual surface of the tooth.
- Remove matrix and fixing wedge.
- 8) Perform restoration polishing and finishing.

Contact & shape former №1.965 operating modes

Tooth cusp modelling of molars & premolars



Facial surface modelling of anteriors



Transparent Contoured Matrices

For Premolars



<u>№ 1.090(1)</u>

Matrices for Premolars one central ledge 30 pcs.

Nº 1.090(2)

I.090(2) Matrices for Premolars bilateral 30 pcs.



Nº 1.090(3) Matrices for Premolars

right ledge 30 pcs.



Nº 1.090(4)

Matrices for Premolars left ledge 30 pcs.



№ 1.090(3/4) Matrices for Premolars.



2 types 30 pcs.:

30 pcs.: № 1.090(3) 15 pcs. № 1.090(4) 15 pcs.



<u>№ 1.190</u>

Matrices for Premolars. Universal Kit 60 pcs.:

Nº 1.090(1) 15 pcs. Nº 1.090(2) 15 pcs. Nº 1.090(3) 15 pcs. № 1.090(4) 15 pcs.

Matrices for Molars. Universal Kit 60 p

№ 1.091(1)

Nº 1.091(2)

Nº 1.091(3)

Nº 1.091(4)



№ 1.092

Nº 1.191

Matrices for Premolars and Molars. Universal Kit 120 pcs.

60 pcs.:

15 pcs.

15 pcs.

15 pcs.

15 pcs.



For Molars



№ 1.091(1) Matrices for Molars

one central ledge 30 pcs.



№ 1.091(2) Matrices for Molars

bilateral 30 pcs.



№ 1.091(3) Matrices for Molars

right ledge 30 pcs.



4) Matrices for Molars

left ledge 30 pcs.



№ 1.091(3/4) Matrices for Molars.



2 types

30 pcs.: № 1.091(3) 15 pcs. № 1.091(4) 15 pcs.

Transparent contoured matrices

- Anatomically pre-shaped
- Four shapes of premolar matrices and four shapes of molar matrices
- Provide perfect approximal form and contact

Installation modes

with Tofflmire retainer



with Supermat system



with Slot ring № 1.044 (page 12)



Fragments of transparent contoured matrices can be also applied for restoration of approximal surfaces of incisors and canines.





Transparent Contoured Matrices Combined with Clamp

For Premolars



Nº 1.094(1)



Matrices for Premolars one central ledge 10 pcs.

Nº 1.094(2)



Matrices for Premolars bilateral 10 pcs.

Nº 1.094(3)



Matrices for Premolars right ledge 10 pcs.

Nº 1.094(4)



Matrices for Premolars

left ledge 10 pcs.

№ 1.094(3/4) Matrices for Premolars.



2 types 10 pcs.: № 1.094(3) 5 pcs. № 1.094(4) 5 pcs.



Nº 1.195



Nº 1.194






№ 1.094(1)

№ 1.094(2)

Nº 1.094(3)

№ 1.094(4)



Nº 1.096

Matrices for Premolars and Molars. Universal Kit 32 pcs.



For Molars



Nº 1.095(1)

Matrices for Molars one central ledge 10 pcs.

Nº 1.095(2)



Matrices for Molars bilateral

10 pcs.

Nº 1.095(2+)



Matrices for Gross Molars

bilateral 10 pcs.

Nº 1.095(3)



Matrices for Molars

right ledge 10 pcs.

Nº 1.095(4)



Matrices for Molars

left ledge 10 pcs.

Nº 1.095(3/4)



Matrices for Premolars. Universal Kit 16 pcs.:

3 pcs.

3 pcs.

5 pcs. 5 pcs.

Matrices for Molars.

10 pcs.: № 1.095(3) 5 pcs. № 1.095(4) 5 pcs.



- Three dimensional anatomic shape

- The ideal approximal contact
- Tight fitting within a few seconds
- Four shapes of premolar & five shapes of molar matrices

No matrix retainer required

Installation


1. Install matrix onto the tooth



2. Press metal clamp



3. Ready for restoration



Operating Positions









Self-Adhesive Transparent Contoured Matrices

Matrix ends are covered with a special glue layer for side-to-side conjunction. No matrix retainer required.

Four shapes for molars and four shapes for premolars.

For Premolars



Nº 1.490(1)



Self-Adhesive Matrices for Premolars one central ledge 12 pcs.

Nº 1.490(2)



Self-Adhesive Matrices for Premolars bilateral

Nº 1.490(3/4) Self-Adhesive Matrices

12 pcs.



for Premolars. 2 types12 pcs.:
№ 1.490(3) 6 pcs.
№ 1.490(4) 6 pcs.



Transparent Sectional Contoured Matrices





Ne 1.922 Narrow Matrices width 5 mm 30 pcs.





Nº 1.923 Wide Matrices width 7 mm 30 pcs.

For Molars



№ 1.491(1) Self-Adhesive Matrices for Molars one central ledge



one central ledge 12 pcs.

Nº 1.491(2)



Self-Adhesive Matrices for Molars bilateral 12 pcs.

№ 1.491(3/4) Self-Adhesive Matrices



for Molars.

2 types

12 pcs.:
№ 1.491(3) 6 pcs.
№ 1.491(4) 6 pcs.

Installation of self-adhesive matrix

1. Install matrix



2. Remove red protective layer from matrix sides



3. Stick glued matrix sides with each other



Self-Adhesive Matrix Operating Position



Sectional Transparent Contoured Matrices Possible Installation Modes

Installation with transparent plastic wedge (page 21)



Installation with rings (page 16) is also possible

Sectional Transparent Contoured Matrices Operating Position




Crown build-up

Transparent Crowns

Single Crowns. Adult

Fourteen individual shapes for incisors and cannines and fourteen individual shapes for premolars and molars are available





Crowns are available in three sizes - small (S), medium (M), large (L).



11/21 S 4 pcs.	11/21 M 4 pcs.	11/21 L 4 pcs.	12/22 S 4 pcs.	12/22 M 4 pcs.	12/2 L 4 p	.	13/23 S 4 pcs.
32/42 4 pc:			Nº 1.º ⁄n pos				2/42 L pcs.
13/23 M 4 pcs.	13/23 L 4 pcs.	31/41 32/42 S 4 pcs.	31/41 M 4 pcs.	31/41 L 4 pcs.	33/4 S 4 p		33/43 M 4 pcs.

Nº 1.910 **Anterior Transparent** Crowns. Universal Kit. 64 pcs.




14S	14M	16S	16M	17S	17M	34S
2 pcs.	2 pcs.	2 pcs.	2 pcs.	2 pcs.	2 pcs.	2 pcs.
24S	24M	26S	26M	27S	27M	44S
2 pcs.	2 pcs.	2 pcs.	2 pcs.	2 pcs.	2 pcs.	2 pcs.
15S - 2 pcs. 25S - 2 pcs.						1 - 2 pcs. 1 - 2 pcs.
34M	35S	35M	36S	36M	37S	37M
2 pcs.	2 pcs.	2 pcs.	2 pcs.	2 pcs.	2 pcs.	2 pcs.
44M	45S	45M	46S	46M	47S	47M
2 pcs.	2 pcs.	2 pcs.	2 pcs.	2 pcs.	2 pcs.	2 pcs.

Nº 1.911 **Posterior Transparent** Crowns. Universal Kit. **Perfect Fit Series.** 64 pcs.

anatomically correct shapes





№ 1.911P Premolar **Transparent** Crowns. **Perfect Fit Series.** 40 pcs.

anatomically correct shapes



16S	26S	16M	26M	17S	27S	17M
3 pcs.	3 pcs.	3 pcs.	3 pcs.	2 pcs.	2 pcs.	2 pcs.
36S - 3 pcs. Kit № 1.911M Crown position 27M - 2 pt						
46S	36M	46M	37S	47S	37M	47M
3 pcs.	3 pcs.	3 pcs.	2 pcs.	2 pcs.	2 pcs.	2 pcs.

Nº 1.911M Molar **Transparent** Crowns. **Perfect Fit Series.** 40 pcs.

anatomically correct shapes

Tooth edge repair














Single Crowns. Deciduous

Eight individual shapes of deciduous crowns for incisors and cannines and eight individual shapes for premolars and molars are available

NEW





Crowns are available in three sizes - small (S), medium (M), large (L).



l M l	1 1 1	l s l	l M l	1 1 1	l s	3 53/63 M 4 pcs.
51/61 S Kit Nº 1.912 54/64 S 4 pcs. 54/64 S						
Isl	l M l	l s l	I M I	55/65 S 4 pcs.	l M	54/64 M 4 pcs.

№ 1.912 **Deciduous Transparent** Crowns. Universal Kit. 64 pcs.



Series of pediatric strips include 8 shapes of crown forms for anteriors. Each crown (strip) has a holder which makes it more convenient to work with.

Crowns (strips) are available in two sizes - medium (M) & large (L).



NEW

51M	51L	61M		
3 pcs.	3 pcs.	3 pcs.		
52M 2 pcs.	Kit № 1.91: Crown position	61L 3 pcs.		
52L	62L	62M		
2 pcs.	2 pcs.	2 pcs.		

Nº 1.913 Pediatric Strips. Crown Forms. Anterior

20 pcs. 51M - 3 pcs. 51L - 3 pcs. 52M - 2 pcs. 52L - 2 pcs. 61M - 3 pcs. 62M - 2 pcs. 62L - 2 pcs.

Operating Procedure

Cut off the crown from the plate (if necessary) and puncture it



Place the crown with filling material



Put the filled crown on to the tooth under restoration



Remove the excess filling material squeezed from the hole



Single Crowns. Conical



Conical transparent crowns for all groups of teeth are available



№ 1.915 Conical Transparent Crowns 64 pcs.


(8 types per 8 pcs.)

Crowns on Plates



Nº 1.901 **Transparent Crowns for Coronal Part of Incisors**

12 pcs. per plate



Transparent Crowns for Nº 1.903 **Frontal Surface of Incisors**

16 pcs. per plate



Nº 1.905 **Transparent Crowns for**

Approximal Surface of Small & Medium Incisors & Canines


17 pcs. per plate



Nº 1.907 **Transparent Crowns for**

Approximal Surface of Medium & Large Incisors & Canines

18 pcs. per plate



Nº 1.908 **Transparent Crowns for Molars & Premolars**


12 pcs. per plate



Nº 1.909 **Transparent Crowns for**

Coronal Part of Incisors, Canines & Premolars

12 pcs. per plate





Transparent Strips

Transparent strips are 0.05 mm thick



Nº 1.040 Transparent Strips 8 mm wide, 100 mm long, 100 pcs.

Nº 1.041 Transparent Strips
10 mm wide, 100 mm long, 100 pcs.

Nº 1.240
Transparent Striproll 8 mm wide,10 m in length (round box Ø 32 mm)

№ 1.241 Transparent Striproll 10 mm wide,10 m in length (round box Ø 32 mm)

Nº 1.242 Transparent Striproll 8 mm wide,10 m in length (squared box 50x50 mm)

Nº 1.243
Transparent Striproll
10 mm wide,10 m in length
(squared box 50x50 mm)

№ 1.244

Transparent Striproll with cutting plate
8 mm wide,10 m in length (squared box 50x50 mm)

Transparent Striproll
with cutting plate
10 mm wide,10 m in length
(squared box 50x50 mm)

№ 1.440 Transparent Stopstrips 8 mm wide, 100 mm long, 12 pcs.

Nº 1.441 Transparent Stopstrips
10 mm wide, 100 mm long, 12 pcs.

Striprolls of alternative lengths and widths can be supplied upon special request.



Cutting plate in striprolls N№№ 1.244 & 1.245 provides operating without scissors




Transparent Cervical Matrix System





Transparent Cervical Matrix Bands
matrix bands 10x37mm 100 pcs.
cervical former 1 pc.
stopper 1 pc.

Stopstrip offers the possibility to operate with one hand only



The system operates as follows

- 1. Insert matrix into the cervical former (fig. 1).
- 2. Cut out matrix in accordance with the tooth shape (fig.2). Regulate the matrix position according to the tooth size.
- 3. Fix matrix in the cervical former by the stopper (fig. 3).
- 4. Perform the tooth restoration (figs. 4 6).













COMPOSITE FINISHING & POLISHING polishing discs

Polishing Discs

2	-	
jesou be		1000
100		***
4 2 2	ALC: N	三座
7,750		1
MARKET AND	1000	33







	Po	olishing Di	scs for Gr	oss Reduc	tion (Coar	se)
diameter, mm	9.5	10	12	12.7	14	16
	№ 2.731(9.5)BR 50 pcs.			№ 2.731 (12.7) BR 50 pcs.		
	№ 2.731(9.5) 40 pcs.	<u>№ 2.731(10)</u> 40 pcs.	Nº 2.731(12) 40 pcs.	№ 2.731 (12.7) 40 pcs.	№ 2.731 (14) 40 pcs.	№ 2.731(16) 40 pcs.
	№ 1.731(9.5) 40 pcs.	№ 1.731(10) 40 pcs.	№ 1.731(12) 40 pcs.	Nº 1.731(12.7) 40 pcs.	№ 1.731(14) 40 pcs.	№ 1.731(16) 40 pcs.
	<u>№ 1.731(A)</u> 50 pcs.			№ 1.731(B) 50 pcs.		

Polishing Discs for Contouring (Medium)

diameter, mm	9.5	10	12	12.7	14	16
	<u>№ 1.732(9.5)</u> 40 pcs.	№ 1.732(10) 40 pcs.	№ 1.732(12) 40 pcs.	№ 1.732 (12.7) 40 pcs.	Nº 1.732(14) 40 pcs.	<u>№ 1.732(16)</u> 40 pcs.
	<u>№ 1.732(A)</u> 50 pcs.			<u>№ 1.732(B)</u> 50 pcs.		

Polishing Discs for Finishing (Fine)

diameter, mm	9.5	10	12	12.7	14	16
	№ 1.733(9.5) 40 pcs.	№ 1.733(10) 40 pcs.	№ 1.733(12) 40 pcs.	№ 1.733(12.7) 40 pcs.	№ 1.733(14) 40 pcs.	№ 1.733(16) 40 pcs.
	<u>№ 1.733(A)</u> 50 pcs.			<u>№ 1.733(B)</u> 50 pcs.		

Polishing Discs for Polishing (Superfine)

diameter, mm	9.5	10	12	12.7	14	16
	<u>№ 1.734(9.5)</u> 40 pcs.	№ 1.734(10) 40 pcs.	Nº 1.734(12) 40 pcs.	Nº 1.734(12.7) 40 pcs.	Nº 1.734(14) 40 pcs.	№ 1.734(16) 40 pcs.
	<u>№ 1.734(A)</u> 50 pcs.			<u>№ 1.734(B)</u> 50 pcs.		

Mandrels



Nº 1.120 Mandrel for Polishing Discs. HP type 1 pc.

Nº 1.121 Mandrel for Polishing Discs. RA type 1 pc.









Nº 1.069 Polishing Discs

discs diameter 10 mm 40 pcs.:
№ 1.731(10) - 10 pcs., № 1.732(10) - 10 pcs.,
№ 1.733(10) - 10 pcs., № 1.734(10) - 10 pcs.,
mandrel № 1.121 1 pc.

№ 1.070 Polishing Discs

discs diameter 12 mm 40 pcs.: № 1.731(12) - 10 pcs., № 1.732(12) - 10 pcs., № 1.732(12) - 10 pcs., № 1.734(12) - 10 pcs., mandrel № 1.121 1 pc.

№ 1.071 Polishing Discs

discs diameter 14 mm 40 pcs.: № 1.731(14) - 10 pcs., № 1.732(14) - 10 pcs., № 1.732(14) - 10 pcs., № 1.734(14) - 10 pcs., mandrel № 1.121 1 pc.

№ 1.072 Polishing Discs

discs diameter 16 mm 40 pcs.: № 1.731(16) - 10 pcs., № 1.732(16) - 10 pcs., № 1.733(16) - 10 pcs., № 1.734(16) - 10 pcs., mandrel № 1.121 1 pc.

№ 1.075 Polishing Discs. Universal Kit

discs diameter 12 & 14 mm 80 pcs.: № 1.731(12) - 10 pcs., № 1.732(12) - 10 pcs., № 1.733(12) - 10 pcs., № 1.734(12) - 10 pcs., № 1.731(14) - 10 pcs., № 1.732(14) - 10 pcs., № 1.733(14) - 10 pcs., № 1.734(14) - 10 pcs., mandrel № 1.121 1 pc.



Discs with four types of abrasive layer are effective for finishing and polishing composite restorations including fillings located at proximal area.



Discs of 2.731 & 2.731BR are designed for rapid removal of excess composite material, primary macroconturing of composite restorations with minimal invasive abrasion of tooth enamel.


Discs of 2.731 & 2.731BR series have the greatest polishing ability as compared to other discs produced by TOR VM.

Discs of 2.731 & 2.731BR series have the same grit size (abrasiveness).

Discs of 2.731 have a stronger base providing more rigid treatment of the tooth under restoration

Discs 2.731BR are thinner and more flexible than discs of 2.731 series.

Polishing discs are available of six diameters:



Discs of other diameters including 3/8" (9.5 mm) and 1/2" (12.7 mm) can be supplied upon request

Stem Polishing Discs





Stem Polishing Discs for Gross Reduction (Coarse)

diameter, mm	8	12	14
catalogue number, amount	<u>№ 1.611</u> 40 pcs.	<u>№ 1.621</u> 40 pcs.	<u>№ 1.631</u> 40 pcs.





diameter, mm	8	12	14
catalogue number, amount	<u>№ 1.612</u>	№ 1.622	<u>№ 1.632</u>
	40 pcs.	40 pcs.	40 pcs.





Stem Polishing Discs for Finishing (Fine)

diameter, mm	8	12	14
catalogue number, amount	<u>№ 1.613</u>	<u>№ 1.623</u>	<u>№ 1.633</u>
	40 pcs.	40 pcs.	40 pcs.





Stem Polishing	Discs for	Polishing	(Superfine)
Otom i onoming	D1000 101	. 0110111119	(Oupoillio)

	J	3 (
diameter, mm	8	12	14
catalogue number, amount	<u>№ 1.614</u> 40 pcs.	<u>№ 1.624</u> 40 pcs.	<u>№ 1.634</u> 40 pcs.



Mandrels



Nº 1.110

Mandrel for Stem Polishing Discs HP type 1 pc.

<u>№ 1.111</u>

Mandrel for Stem Polishing Discs RA type 1 pc.



Nº 1.610

Stem Polishing Discs

discs diameter 8 mm - 40 pcs. (№№1.611-1.614 - per 10 pcs.) mandrel № 1.111 - 1 pc.



Nº 1.620

Stem Polishing Discs

discs diameter 12 mm - 40 pcs. (№№1.621-1.624 - per 10 pcs.) mandrel № 1.111 - 1 pc.



Nº 1.630

Stem Polishing Discs

discs diameter 14 mm - 40 pcs. (№№1.631-1.634 - per 10 pcs.) mandrel № 1.111 - 1 pc.



<u>№ 1.600</u>


Stem Polishing Discs. Universal Kit





discs - diameters 8, 12 & 14 mm - 80 pcs.: №№ 1.611, 1.621, 1.631 per 5 pcs. NºNº 1.612, 1.622, 1.632 per 5 pcs. NºNº 1.613, 1.623, 1.633 per 5 pcs. NºNº 1.614, 1.624, 1.634 per 5 pcs.

back abrasive

4 types 20 pcs. (per 5 pcs. of each type) mandrel № 1.111 - 1 pc.







Back abrasive discs (coarse, medium, fine, superfine) are available in kit Nº1.600

Polishing Strips









Strips for Gross Reduction Nº 1.050

gross reduction / contouring 25 pcs.

Strips for Contouring Nº 1.051

contouring / finishing 25 pcs.

Nº 1.052 Strips for Polishing

finishing / polishing

25 pcs.

№ 1.055 Polishing Strips. Universal Kit

gross reduction / contouring / finishing 75 pcs.

№1.050 - 25 pcs., №1.051 - 25 pcs., №1.052 - 25 pcs.

There are 3 types of abrasiveness

- for gross reduction / contouring

- for contouring / finishing

- for finishing / polishing

of metal diamond strips:

- coarse.

Three types:

- medium,
- fine.

Metal Diamond Strips



Nº 1.150

Metal Diamond Strips, coarse, width 4 mm, 5 pcs.

NEW

№ 1.150(3)* Metal Diamond Strips, coarse, width 2 mm, 5 pcs.

Nº 1.151

| Metal Diamond Strips, medium, width 4 mm, 5 pcs.

NEW

№ 1.151(3)* Metal Diamond Strips, medium, width 2 mm, 5 pcs.

Nº 1.152

Metal Diamond Strips, fine, width 4 mm, 5 pcs.

<u>№ 1.152(3)*</u> NEW

Metal Diamond Strips. fine, width 2 mm, 5 pcs.

Metal Diamond Perforated Strips



№ 2.150

Metal Diamond Perforated Strips, coarse, width 4 mm, 5 pcs



Nº 2.151

Metal Diamond Perforated Strips, medium, width 4 mm, 5 pcs



№ 2.152

Metal Diamond Perforated Strips fine, width 4 mm, 5 pcs

Metal Sawing Strips NEW



№ 3.384A

Metal Sawing Strips, width 6 mm, 6 pcs

Perforated Prophylactic Metal Strips



Nº 1.386


Metal Strips for Tartar Removal with Flat Edge 12 pcs. 4 mm wide, 100 mm in length, 0.05 mm thick All metal diamond strips are 4 mm wide.




On special request 2 mm wide strips - №№ 1.150(3), 1.151(3) & 1.152(3) - can be supplied.

Strips №№ 1.150(3), 1.151(3) & 1.152(3) have no saw in the medium part.

Metal diamond strips №№ 1.150, 1.151, 1.152 and 2.150, 2.151 & 2.152 are performed with saw in the medium part.



Sawing strips have saw along all the strip length, can be operated by hand or using strip holder.







^{*}available at special request.

COMPOSITE FINISHING & POLISHING finishing & polishing kits / cotton roll holders / retractors

Finishing & Polishing Kits

Nº 1.020 Finishing & Polishing Kit

stem polishing discs 48 pcs. (NºNº 1.631-1.634 - per 12 pcs.)

polishing strips 75 pcs. № 1.050 25 pcs. № 1.051 25 pcs.

№ 1.052 25 pcs.

mandrel № 1.111 1 pc.

Finishing & polishing kits Nº№ 1.020 & 1.021 are recommended for both experienced professionals and beginners.

Nº 1.021

Finishing & Polishing Kit

polishing discs 48 pcs. (NºNº 1.731(14)-1.734(14) per 12 pcs.)

polishing strips 75 pcs.:

№ 1.050 25 pcs. № 1.051 25 pcs. № 1.052 25 pcs.

mandrel № 1.121 1 pc.

Cotton Roll Holder




Nº 1.010 **Cotton Roll Holder** 1 pc.

Cotton roll holder is intended for fixation of cotton rolls during dental procedures



Retractors



Cheeck & tongue retractor (connected with holder) 1 pc.

Lip & cheeck retractor 1 pc.


Retractors are produced from high-quality stainless steel, provide reliable isolation of operating field





Dental Explorers (Probes) NEW

<u>№ 8.0102</u> **Explorer, large**, 1 pc.



Nº 8.0121 Probe (periodontal), scales UNC-15 - WHO),1 pc.



Dental Restoration Carvers NEW

Nº 8.0401 Plugger / Mini Spatula, small, 1 pc.



Nº 8.0402 Plugger / Mini Spatula, medium, 1 pc.



Nº 8.0403 Plugger / Mini Spatula, large, 1 pc.



Nº 8.0405 Plugger / Mini Spatula, sickle shape, small, 1 pc.





All dental hand instruments are available in 2 types - with stainless steel handle (type 1) and with titanium handle (type 2).

Handle type	diameter	weight
type 1	10 mm	< 17 g
type 2	8 mm	< 20 g

Clinical cases


exploration of interdental space



removal of retraction cord from gingival sulcus



Clinical cases upon operating field isolation



tucking of rubber dam into gingival sulcus using spatula and excess pressure





retraction cord adaptation




adaptation of liquid rubber dam in hard-to-reach areas

Nº 8.0406 Plugger / Mini Spatula, sickle shape, medium, 1 pc.





Nº 8.0408 Burnisher-Plugger, ball-ended, 1.5 / Mini Spatula, small, 1 pc.







Nº 8.0409 Burnisher-Plugger, ball-ended, 2.4 / Mini Spatula, large, 1 pc.







№ 8.0410 Burnisher-Plugger, ball-ended, curved, 1.8 / Mini Spatula, small, 1 pc.







№ 8.0411 Burnisher-Plugger, ball-ended, curved, 2.0 / Mini Spatula, medium, 1 pc.







Cord Packers

Nº 1.016s Gingival Cord Packer, small,1 pc.







Clinical cases upon operating field isolation



distribution of liquid rubber dam and further photopolymerization using plugger (plugger motion shown by arrows)



clamp and rubber dam adaptation with plugger (plugger motion shown by arrows)

Acknowledgements

- K. Aleinikov (Moscow, Russia),
- K. Asimakopolus (Athens, Greece),
- V. Bezruchko (Dmitrov, Russia),
- V. Durov (Tver', Russia),
- I. Makeeva (St.Petersburg),
- Yu. Nekipelov (Vologda, Russia),
- A. Nikolaev (Smolensk, Russia),
- D. Nikolaev (Bryansk, Russia),
- C. O'Connor (Newcastle upon Tyne. UK),
- A. Salova (St.Peterburg, Russia),
- K. Shendzhen (Krasnodar, Russia),
- A.Sidorov (Moscow, Russia),
- V.Tishchenko (Krasnodar, Russia),
- A. Volom (Budapest, Hungary)

CUSTOM MADE

All the products can also be assorted in a different than standard way.

Submitted for publication March, 2023



DENTAL MANUFACTURING COMPANY

Novatorov str. 7A, Moscow, 119421, Russia phone +7 495 225 54 17, e-mail: torvm77@gmail.com www.torvm.ru

⊡Instagram

